

## References

- Able, K.P. 1977. The flight behavior of individual passerine nocturnal migrants: a tracking radar study. *Anim. Behav.* 25(4):924-935.
- Able, K.P., and S.A. Gauthreaux, Jr. 1975. Quantification of nocturnal passerine migration with a portable ceilometer. *Condor* 77(1):92-96.
- Adams, D.C., J. Gurevitch, and M.S. Rosenberg. 1997. Resampling tests for meta-analysis of ecological data. *Ecology* 78(5):1277-1283.
- Ahlén, I. 2002. Bats and birds killed by wind power turbines [in Swedish]. *Fauna och Flora* 97(3):14-21.
- Ahlén, I. 2003. Wind turbines and bats—a pilot study [in Swedish]. Final Report Dnr 5210P-2002-00473, P-nr P20272-1. Swedish National Energy Commission, Eskilstuna, Sweden (English translation by I. Ahlen, March 5, 2004).
- Ahlén, I. 2004. Heterodyne and time-expansion methods for identification of bats in the field and through sound analysis. Pp. 72-79 in *Bat Echolocation Research: Tools, Techniques, and Analysis*, R.M. Brigham, E.K.V. Kalko, G. Jones, S. Parsons, and H.J.G.A. Limpens, eds. Austin, TX: Bat Conservation International.
- Aldridge, H.D.J.N., and I.L. Rautenbach. 1987. Morphology, echolocation and resource partitioning in insectivorous bats. *J. Anim. Ecol.* 56(3):763-778.
- Alliant Energy. 2007. Wind Power. Alliant Energy [online]. Available: [http://www.powerhousekids.com/stellent2/groups/public/documents/pub/phk\\_ee\\_re\\_001502.hcsp](http://www.powerhousekids.com/stellent2/groups/public/documents/pub/phk_ee_re_001502.hcsp) [accessed April 19, 2007].
- Amstrup, S.C., T.L. McDonald, and B.F.J. Manly. 2005. *Handbook of capture-recapture analysis*. Princeton: Princeton University Press.
- Andersen, D.P. 1999. Review of historical and modern utilization of wind power. RISØ National Laboratory, Roskilde, Denmark [online]. Available: <http://www.risoe.dk/rispubl/VEA/dannemand.htm> [accessed Aug. 24, 2006].
- Anderson, D., D. Curry, E. DeMeo, S. Enfield, T. Gray, L. Hartman, K. Sinclair, R. Therkelsen, and S. Ugoretz. 2002. Permitting of wind energy facilities: A handbook revised 2002. Prepared by the National Wind Coordinating Committee Siting Subcommittee, c/o RESOLVE, Washington, DC. August 2002 [online]. Available: <http://www.nationalwind.org/publications/siting/permitting2002.pdf> [accessed June 1, 2006].
- Anderson, R.L., and J.A. Estep. 1988. Wind energy development in California: impact, mitigation, monitoring, and planning. California Energy Commission, Sacramento, CA.
- Anderson, R.L., J. Tom, N. Neumann, J. Noone, and D. Maul. 1996a. Avian risk assessment methodology. Pp. 74-87 in *Proceedings of the National Avian-Wind Power Planning Meeting II, 20-22 September 1995*, Palm Springs, CA. King City, Ontario: LGL Ltd Environmental Research Associates. October 1996 [online]. Available: <http://www.nationalwind.org/publications/wildlife/avian95/avian95-09.htm> [accessed May 19, 2006].
- Anderson, R.L., J. Tom, N. Neumann, and J.A. Cleckler. 1996b. Avian monitoring and risk assessment at Tehachapi Pass Wind Resource Area, California. California Energy Commission, Saramento, CA. November 1996. 40pp.
- Anderson, R.L., H. Davis, W. Kendall, L.S. Mayer, M.L. Morrison, K. Sinclair, D. Strickland, and S. Ugoretz. 1997. Standard metrics and methods for conducting avian/wind energy interaction studies. Pp. 265-272 in *Proceedings of the 1997 American Wind Energy Association Annual Meeting*, Nov. 5, 1997, Boston, MA. Washington, DC: American Wind Energy Association.
- Anderson, R.L., M. Morrison, K. Sinclair, and M.D. Strickland. 1999. Studying wind energy/bird interactions: a guidance document. Prepared for Avian Subcommittee and National Wind Coordinating Committee.

- December 1999 [online]. Available:  
[http://www.nationalwind.org/publications/wildlife/avian99/Avian\\_booklet.pdf](http://www.nationalwind.org/publications/wildlife/avian99/Avian_booklet.pdf) [accessed May 19, 2006].
- Anderson, R.L., D. Strickland, J. Tom, N. Neumann, W. Erickson, J. Cleckler, G. Mayorga, G. Nuhn, A. Leuders, J. Schneider, L. Backus, P. Becker, and N. Flagg. 2000. Avian monitoring and risk assessment at Tehachapi Pass and San Gorgonio Pass wind resource areas, California: Phase I preliminary results. Pp. 31-46 in Proceedings of the National Avian-Wind Power Planning Meeting III, May 1998, San Diego, CA. National Wind Coordinating Committee/ RESOLVE, Washington, DC [online]. Available:  
[http://www.nationalwind.org/publications/wildlife/avian98/06-Anderson\\_et al-Tehachapi\\_San\\_Gorgonio.pdf](http://www.nationalwind.org/publications/wildlife/avian98/06-Anderson_et al-Tehachapi_San_Gorgonio.pdf) [accessed May 24, 2006].
- Anderson, R., N. Neumann, J. Tom, W.P. Erickson, M.D. Strickland, M. Bourassa, K.J. Bay, and K.J. Sernka. 2004. Avian Monitoring and Risk Assessment at the Tehachapi Pass Wind Resource Area: Period of Performance: October 2, 1996 – May 27, 1998. NREL/SR-500-36416. National Renewable Energy Laboratory, Golden, CO. September 2004 [online]. Available:  
<http://www.nrel.gov/docs/fy04osti/36416.pdf> [accessed May 19, 2006].
- Anderson, R., J. Tom, N. Neumann, W.P. Erickson, M.D. Strickland, M. Bourassa, K.J. Bay, and K.J. Sernka. 2005. Avian Monitoring and Risk Assessment at the San Gorgonio Wind Resource Area: Phase I Field Work: March 3, 1997-May 29, 1998; Phase II Field Work: August 18, 1999-August 11, 2000. NREL/SR-500-38054. National Renewable Energy Laboratory, Golden, CO. August 2005 [online]. Available:  
<http://www.nrel.gov/docs/fy05osti/38054.pdf> [accessed May 19, 2006].
- Appleton, J. 1975. The Experience of Landscape. New York: Wiley.
- Arbogast, B.S., R.A. Browne, P.D. Weigl, and G.J. Kenagy. 2005. Conservation genetics of endangered flying squirrels (*Glaucomys*) from the Appalachian mountains of eastern North America. *Anim. Conserv.* 8(2):123-133.
- Arnett, E.B. 2005. Bats and Wind Energy. Presentation at the Second Meeting on Environmental Impacts of Wind Energy Projects, December 14, 2005, Charleston, WV.
- Arnett, E.B., and J.P. Hayes. 2000. Bat use of roosting boxes installed under flat-bottom bridges in western Oregon. *Wildlife Soc. Bull.* 28(4):890-894.
- Arnett, E.B., W.P. Erickson, J. Kerns, and J. Horn. 2005. Relationships Between Bats and Wind Turbines in Pennsylvania and West Virginia: An Assessment of Fatality Search Protocols, Patterns of Fatality, and Behavioral Interactions with Wind Turbines. Final Report. Prepared for the Bats and Wind Energy Cooperative, by Bat Conservation International, Austin, TX. June 2005 [online]. Available:  
<http://www.batcon.org/wind/BWEC2004finalreport.pdf> [accessed May 25, 2006].
- Arnett, E.B., K. Brown, W.P. Erickson, J. Fiedler, T.H. Henry, G.D. Johnson, J. Kerns, R.R. Koford, C.P. Nicholson, T.O'Connell, M. Piorkowski, and R. Tankersley, Jr. In prep. Ecological impacts of wind power development on bats: case studies on the patterns of bat fatalities at wind power facilities in North America (submitted to *Journal of Wildlife Management*)
- Ash, A.N. 1997. Disappearance and return of plethodontid salamanders to clearcut plots in the southern Blue Ridge Mountains. *Conserv. Biol.* 11(4):983-989.
- Associated Press. 2006. Developer: Wind farm won't hurt property values. Associated Press, May 17, 2006 [online]. Available: <http://www.windaction.org/news/3068> [accessed Sept. 8, 2006].
- Aubrey, K.B., J.P. Hayes, B.L. Biswell, and B.G. Marcot. 2003. Ecological role of tree-dwelling mammals in western coniferous forests. Pp. 405-443 in *Mammal Community Dynamics: Management and Conservation in the Coniferous Forests of Western North America*, C.J. Zabel, and R.G. Anthony, eds. Cambridge: Cambridge University Press.
- AusWEA (Australian Wind Energy Association). 2002. Best Practice Guidelines for Implementation of Wind Energy Projects in Australia. March 2002 [online]. Available:  
<http://www.auswea.com.au/auswea/downloads/AusWEAGuidelines.pdf> [accessed Sept. 15, 2006].
- AusWEA (Australian Wind Energy Association). 2004. Wind Farming and Tourism. Fact Sheet 4. Wind Industry Development Project. AusWEA, Melbourne, Australia [online]. Available:  
<http://www.auswea.com.au/WIDP/assets/4Tourism.pdf> [accessed Aug. 24, 2006].
- Avery, M., P.F. Springer, and J.F. Cassel. 1976. The effects of a tall tower on nocturnal bird migration--a portable ceilometer study. *Auk* 93(2):281-291.
- Avise, J.C. 1992. Molecular population structure and the biogeographic history of a regional fauna: a case history with lessons for conservation biology. *Oikos*, 62: 62-76.
- Avise, J.C. 2004. *Molecular Markers, Natural History, and Evolution*. Sinauer, Sunderland, Massachusetts.

- AWEA (American Wind Energy Association). 1995. Avian Interactions with Wind Energy Facilities: A Summary. Prepared by Colson & Associates for AWEA, Washington, DC. January 1995.
- AWEA (American Wind Energy Association). 2005. U.S. Wind Industry Continues Expansion of Clean, Domestic Energy Source. AWEA News Release: January 27, 2005 [online]. Available: <http://www.awea.org/news/news050127mkt.html> [accessed May 25, 2006].
- AWEA (American Wind Energy Association). 2006a. U.S. Wind Industry Ends Most Productive Year, Sustained Growth Expected for At Least Next Two Years. AWEA News Releases: January 24, 2006 [online]. Available: [http://www.awea.org/news/US\\_Wind\\_Industry\\_Ends\\_Most\\_Productive\\_Year\\_012406.html](http://www.awea.org/news/US_Wind_Industry_Ends_Most_Productive_Year_012406.html) [accessed May 18, 2006].
- AWEA (American Wind Energy Association). 2006b. State-Level Renewable Energy Portfolio Standards (RPS). American Wind Energy Association [online]. Available: [http://www.awea.org/legislative/pdf/RPS\\_Fact\\_Sheet.pdf](http://www.awea.org/legislative/pdf/RPS_Fact_Sheet.pdf) [accessed Sept. 10, 2006].
- AWEA (American Wind Energy Association). 2006c. National Renewable Energy Portfolio Standards (RPS). American Wind Energy Association [online]. Available: [http://www.awea.org/legislative/pdf/Federal\\_RPS\\_Factsheet.pdf](http://www.awea.org/legislative/pdf/Federal_RPS_Factsheet.pdf) [accessed Sept. 10, 2006].
- AWEA (American Wind Energy Association). 2006d. Energy Department, Wind Industry Join to Create Action Plan to Realize National Vision of 20% Electricity from Wind. American Wind Energy Association News Room: June 5, 2006 [online]. Available: [http://www.awea.org/newsroom/releases/Energy\\_Dept\\_Wind\\_Industry\\_Action\\_Plan\\_060506.html](http://www.awea.org/newsroom/releases/Energy_Dept_Wind_Industry_Action_Plan_060506.html) [accessed Sept. 19, 2006].
- AWEA (American Wind Energy Association). 2006e. Comparative Air Emissions of Wind and Other Fuels. Wind Energy Fact Sheet. American Wind Energy Association [online]. Available: <http://www.awea.org/pubs/factsheets/EmissionKB.PDF> [accessed Sept. 19, 2006].
- AWEA (American Wind Energy Association). 2006g. Wind Energy and Economic Development: Building Sustainable Jobs and Communities. Wind Energy Fact Sheet. American Wind Energy Association, Washington, DC [online]. Available: <http://www.awea.org/pubs/factsheets/EconDev.PDF> [accessed Aug. 24, 2006].
- AWEA (American Wind Energy Association). 2007. Wind Energy Projects Throughout the United States of America. American Wind Energy Association [online]. Available: <http://www.awea.org/projects/index.html> [accessed March 13, , 2007].
- Bäckman, J., and T. Alerstam. 2003. Orientation scatter of free-flying nocturnal passerine migrants: Components and causes. *Anim. Behav.* 65(5):987-996.
- Balcom, B.J., and R.H. Yahner. 1996. Microhabitat and landscape characteristics associated with the threatened Allegheny woodrat. *Conserv. Biol.* 10(2):515-523.
- Ball, S.C. 1952. Fall Bird Migration on the Gaspé Peninsula. *Bulletin Peabody Museum of Natural History* 7. New Haven, CT: Peabody Museum of Natural History, Yale University.
- Barbour, R.W., and W.H. Davis. 1969. *Bats of America*. Lexington, KY: University Press of Kentucky.
- Barclay, R.M.R., and R.M. Brigham. 2004. Geographic variation in the echolocation calls of bats: A complication for identifying species by their calls. Pp. 144-149 in *Bat Echolocation Research: Tools, Techniques, and Analysis*, R.M. Brigham, E.K.V. Kalko, G. Jones, S. Parsons, and H.J.G.A. Limpens, eds. Austin, TX: Bat Conservation International.
- Barclay, R.M.R., and L.M. Harder. 2003. Life histories of bats: Life in the slow lane. Pp. 209-253 in *Bat Ecology*, T.H. Kunz, and M.B. Fenton, eds. Chicago, IL: University of Chicago Press.
- Barclay, R.M.R., and A. Kurta. 2007. Ecology and behavior of bats roosting in tree cavities and under bark. Pp. ? in *Bats in Forests: Conservation and Management*, M.J. Lacki, J.P. Hayes, and A. Kurta, eds. Baltimore, MD: John Hopkins University Press.
- Bartholomew, E., C. Bolduc, K. Coughlin, B. Hill, A. Meier, and R. Van Buskirk. 2006. Current Energy: Supply of and Demand for Electricity for PJM Interconnect. Environmental Energy Technologies Division, Lawrence Berkeley National Lab [online]. Available: <http://currentenergy.lbl.gov/pjm/index.php> [accessed Sept. 14, 2006].
- Battin, J. 2004. When good animals love bad habitats: Ecological traps and the conservation of animal populations. *Conserv. Biol.* 18(6):1482-1491.
- Batcalls.org. 2006. Bat Sounds [online]. Available: <http://www.batcalls.org/> [accessed June 28, 2006].
- Baur, A., and B. Baur. 1990. Are roads barriers to dispersal in the land snail *Arianta arbustorum*? *Can. J. Zool.* 68(3):613-617.

- BBC (British Broadcasting Company). 2006. The Impact of Large Buildings and Structures (including Wind Farms) on Terrestrial Television Reception. [online]. Available: <http://www.bbc.co.uk/reception/factsheets/index.shtml> [accessed March 28, 2007].
- Beavers, S.C., and F.L. Ramsey. 1998. Detectability analysis in transect surveys. *J. Wildl. Manage.* 62(3):948-957.
- Bednarz, J.C., D. Klem, L. J. Goodrich, and S.E. Senner. 1990. Migration counts at Hawk Mountain, Pennsylvania, as indicators of population trends, 1934-1986. *Auk* 107: 96-109.
- Bell, J.L., and R.C. Whitmore. 1997. Eastern towhee numbers increase following defoliation by gypsy moths. *Auk* 114(4):708-716.
- Bell, J.L., and R.C. Whitmore. 2000. Bird nesting ecology in a forest defoliated by gypsy moths. *Wilson Bull.* 112(4):524-531.
- Berthold, P. 1991. Patterns of avian migration in light of current global 'greenhouse' effects: A central European perspective. *Acta Congr. Int. Ornithol.* 20:780-786.
- Berthold, P. 2001. *Bird Migration: A General Survey*, 2nd Ed. New York: Oxford University Press. 253pp.
- Betke, M., D. Hirsh, S. Crampton, J. Horn, N. Hristov, C. J. Cleveland, and T.H. Kunz. Censuring Brazilian free-tailed bats using infrared thermal imaging and computer vision algorithms. Submitted to *Science*.
- Betts, B.J. 1996. Roosting behaviour of silver-haired bats (*Lasiorycteris noctivagans*) and big brown bats (*Eptesicus fuscus*) in northeast Oregon. Pp. 55-61 in *Bats and Forests Symposium*, October 19-21, 1995, Victoria, British Columbia, Canada, R.M.R. Barclay, and R.M. Brigham, eds. Working Paper 23. Victoria, BC: British Columbia, Ministry of Forests Research Branch.
- Bevanger, K. 1994. Three questions on energy transmission and avian mortality. *Fauna Norv. Ser. C* 17(2):107-114.
- Bibby, C.J., D.A. Hill, N.D. Burgess, and S.H. Mustoe. 2000. *Bird Census Techniques*, 2nd Ed. London: Academic Press. 302pp.
- Biewald, B. 2005. Using Electric System Operating Margins and Build Margins in Quantification of Carbon Emission Reductions Attributable to Grid Connected CDM Projects. Prepared for United Nations Framework Convention on Climate Change, by Synapse Energy Economics, Cambridge, MA. September 19, 2005 [online]. Available: <http://www.synapse-energy.com/Downloads/SynapseReport.2005-09.UNFCCC.Using-Electric-System-Operating-Margins-and-Build-Margins-.05-031.pdf>. [accessed Sept. 19, 2006].
- Bingman, V.P., K.P. Able, and P. Kerlinger. 1982. Wind drift, compensation, and the use of landmarks by nocturnal bird migrants. *Anim. Behav.* 30(1):49-53.
- Bisbee, D.W. 2004. NEPA review of offshore wind farms: Ensuring emission reduction benefits outweigh visual impacts. *Boston College Environmental Affairs Law Review* 31(2):349-384.
- Black, J.E., and N.R. Donaldson. 1999. Comments on "Display of bird movements on the WSR-88D: Patterns and quantification." *Weather Forecast.* 14(6):1039-1040.
- BLM (Bureau of Land Management). 1995. Draft Environmental Impact Statement Kenetech/PacificCorp Windpower Project, Carbon County, Wyoming. Prepared by Mariah Associates, Inc., for U.S. Department of the Interior, Bureau of Land Management, Rawlins District, Great Divide Resource Area, Cheyenne, WY.
- BLM (Bureau of Land Management). 2005a. Final Programmatic Environmental Impact Statement (DPEIS) on Wind Energy Development on BLM-Administered Lands in the Western United States. FES 05-11. U.S. Department of Interior, Bureau of Land Management. June 2005 [online]. Available: <http://windeis.anl.gov/documents/fpeis/index.cfm> [accessed May 18, 2006].
- BLM (Bureau of Land Management). 2005b. Record of Decision: Implementation of a Wind Energy Development Program and Associated Land Use Plan Amendments. U.S. Department of Interior, Bureau of Land Management. December 2005 [online]. Available: <http://windeis.anl.gov/documents/docs/WindPEISROD.pdf>. [accessed September 21, 2006].
- Bluestein, J., E. Salerno, L. Bird, and L. Vimmerstedt. 2006. Incorporating Wind Generation in Cap and Trade Programs. Technical Report NREL/TP-500-4006. National Renewable Energy Laboratory, Golden, CO [online]. Available: <http://www.nrel.gov/docs/fy06osti/40006.pdf> [accessed Sept. 19, 2006].
- Boone, D.D., J.K. Dunscomb, R. Webb, and C. Wulf. 2005. A Landscape Classification System: Addressing Environmental Issues Associated with Utility-Scale Wind Energy Development in Virginia. Prepared by The Virginia Wind Energy Collaborative Environmental Working Group. April 21, 2005 [online]. Available: <http://www.vawind.org/#javascript> [accessed May 26, 2006].
- Bowen, G.J., and B. Wilkinson. 2002. Spatial distribution of  $\delta^{18}\text{O}$  in meteoric precipitation. *Geology* 30(4):315-318.

- Braun, C.E., ed. 2005. Techniques for Wildlife Investigations and Management, 6th Ed. Bethesda, MD: Wildlife Society.
- Brittingham, M.C., and L.M. Williams. 2000. Bat boxes as alternative roosts for displaced bat maternity colonies. *Wildlife Soc. Bull.* 28(1):197-207.
- Britzke, E.R. 2004. Designing monitoring programs using frequency-division bat detectors: Active versus passive sampling. Pp. 79-83 in *Bat Echolocation Research: Tools, Techniques, and Analysis*, R.M. Brigham, E.K.V. Kalko, G. Jones, S. Parsons, and H.J.G.A. Limpens, eds. Austin, TX: Bat Conservation International.
- Britzke, E.R., M.J. Harvey, and S.C. Loeb. 2003. Indiana bat, *Myotis sodalis*, maternity roosts in the southern United States. *Southeast. Nat.* 2(2):235-242.
- Brody, A.J., and M.R. Pelton. 1989. Effects of roads on black bear movement in western North Carolina. *Wildl. Soc. Bull.* 17(1):5-10.
- Brooks, M. 1965. *The Appalachians*. Boston: Houghton Mifflin. 346pp.
- Brown, W.S. 1993. *Biology, Status and Management of the Timber Rattlesnake (Crotalus horridus): A Guide for Conservation*. Herpetological Circular 22. Lawrence, KA: Society for the Study of Amphibians and Reptiles.
- BRPC (Berkshire Regional Planning Commission). 2004. Wind Power Policy Siting Guidelines. September 16, 2004 [online]. Available: [http://www.mtpc.org/Project%20Deliverables/GP\\_CP\\_BRPC\\_guide.pdf](http://www.mtpc.org/Project%20Deliverables/GP_CP_BRPC_guide.pdf) [accessed Sept. 12, 2006].
- Bruderer, B. 1978. Effects of alpine topography and winds on migrating birds. Pp. 252-265 in *Animal Migration, Navigation, and Homing: Symposium held at the University of Tübingen, August 17-20, 1977*, K. Schmidt-Koenig, and W.T. Keeton, eds. Berlin: Springer-Verlag.
- Bruderer, B. 1997a. The study of bird migration by radar. Part 1: The technical basis. *Naturwissenschaften* 84(1):1-8.
- Bruderer, B. 1997b. The study of bird migration by radar. Part 2: Major achievements. *Naturwissenschaften* 84(2):45-54.
- Bruderer, B. 1999. Three decades of tracking radar studies on bird migration in Europe and the Middle East. Pp. 107-141 in *Migrating Birds Know No Boundaries: Proceedings International Seminar on Birds and Flight Safety in the Middle East, Israel, April 25-29, 1999*, Y. Leshem, Y. Mandelik, and J. Shamoun-Baranes, eds. Tel-Aviv, Israel: University of Tel-Aviv.
- Bruderer, B., and L. Jenni. 1988. Strategies of bird migration in the area of the Alps. Pp. 2150-2161 in *Acta: XIX Congressus Internationalis Ornithologici, Ottawa, Canada, 22-29 June 1986*, H. Ouellet, ed. Ottawa, Ontario: University of Ottawa Press.
- Bruderer, B., and A.G. Popa-Lisseanu. 2005. Radar data on wing-beat frequencies and flight speeds of two bat species. *Acta Chiropterologica* 7(1):73-82.
- Bruderer, B., and P. Steidinger. 1972. Methods of quantitative and qualitative analysis of bird migration with tracking radar. Pp. 151-167 in *Animal Orientation and Navigation*, S.R. Galler, K. Schmidt-Koenig, G.J. Jacobs, and R.E. Belleville, eds. NASA SP-262. Washington, DC: National Aeronautics and Space Administration.
- Bruderer, B., T. Steuri, and M. Baumgartner. 1995. Short-range high-precision surveillance of nocturnal migration and tracking of single targets. *Israel J. Zool.* 41(3):207-220.
- Brundage, K.J., S.G. Benjamin, and M.N. Schwartz. 2001. Wind energy forecasts and ensemble uncertainty from the RUC. Preprints, 9<sup>th</sup> Conf. on Mesoscale Processes, Fort Lauderdale, Amer. Meteor. Soc. 343-345.
- Brunet-Rossini, A.K., and S.N. Austad. 2004. Ageing studies on bats: A review. *Biogerontology* 5(4):211-222.
- Brush, R.O. 1979. The attractiveness of woodlands: Perceptions of forest landowners in Massachusetts. *For. Sci.* 25(3):495-506.
- Buchler, E.R. 1976. A chemiluminescent tag for tracking bats and other small nocturnal animals. *J. Mammal.* 57(1):173-176.
- Buchler, E.R., and S.B. Childs. 1981. Orientation to distant sounds by foraging big brown bats (*Eptesicus fuscus*). *Anim. Behav.* 29(2):428-432.
- Buchler, E.R., and P.J. Wasilewski. 1985. Magnetic remanence in bats. Pp. 483-487 in *Magnetite Biomineralization and Magnetoreception in Organisms: A New Biomagnetism*, J.L. Kirschvink, D.S. Jones, and B.J. MacFadden, eds. New York: Plenum Press.
- Buckelew, A.R., and G.A. Hall. 1994. *The West Virginia Breeding Bird Atlas*. Pittsburgh, PA: University of Pittsburgh Press. 232 pp.
- Buckland, S.T., D.R. Anderson, K.P. Burnham, and J.L. Laake. 1993. *Distance Sampling: Estimating Abundance*

- of Biological Populations, 1st Ed. London: Chapman and Hall. 446pp.
- Buckland, S.T., D.R. Anderson, K.P. Burnham, J.L. Laake, D.L. Borchers, and L.J. Thomas. 2001. An Introduction to Distance Sampling: Estimating Abundance of Biological Populations. Oxford, UK: Oxford University Press.
- Buckland, S.T., D.R. Anderson, K.P. Burnham, J.L. Laake, D.L. Borchers, and L. Thomas, eds. 2004. Advanced Distance Sampling. Oxford: Oxford University Press.
- Buckley, S., and S. Knight Merz. 2005. Wind Farms and Electromagnetic Interference – Dispelling the Myths. SKM Consulting [online]. Available: [http://www.skmconsulting.com/Markets/energy/Wind\\_farms\\_Electromagnetic\\_Interference.htm](http://www.skmconsulting.com/Markets/energy/Wind_farms_Electromagnetic_Interference.htm) [accessed Aug. 24, 2006].
- Burke, D.M., and E. Nol. 1998. Influence of food abundance, nest-site habitat, and forest fragmentation on breeding ovenbirds. *Auk* 115(1):96-104.
- Burke, H.S., Jr. 1999. Maternity colony formation in *Myotis septentrionalis* using artificial roosts: The rocket box, a habitat enhancement for woodland bats? *Bat Research News* 40(3):77-78.
- Burnham, K.P., D.R. Anderson, and J. Laake. 1980. Estimation of Density from Line Transect Sampling of Biological Populations. *Wildlife Monographs* 72. Washington, DC: Wildlife Society.
- Burton, T.M., and G.E. Likens. 1975a. Energy flow and nutrient cycling in salamander populations in the Hubbard Brook Experimental Forest, New Hampshire. *Ecology* 56(5):1068-1080.
- Burton, T.M., and G.E. Likens. 1975b. Salamander populations and biomass in the Hubbard Brook Experimental Forest, New Hampshire. *Copeia* 1975(3):541-546.
- Burton, T., D. Sharpe, N. Jenkins, and E. Bossanyi. 2001. *Wind Energy Handbook*. West Sussex, England: John Wiley & Sons. 617 pp.
- Buss, I.O. 1946. Bird detection by radar. *Auk* 63(3):315–318.
- Butchkoski, C.M., and J.M. Hassinger. 2002. Ecology of a maternity colony roosting in a building. Pp. 130-142 in *The Indiana Bat: Biology and Management of an Endangered Species*, A. Kurta, and J. Kennedy, eds. Austin, TX: Bat Conservation International.
- BWEA (British Wind Energy Association). 1994. *Best Practice Guidelines for Wind Energy Development*. London: Wind Energy Association. November 1994 [online]. Available: <http://www.bwea.com/pdf/bpg.pdf> [accessed Sept. 15, 2006].
- BWEA (British Wind Energy Association). 2000. *Noise from Wind Turbines—The Facts*. British Wind Energy Association, London [online]. Available: <http://www.bwea.com/pdf/noise.pdf> [accessed Aug. 24, 2006].
- BWEA (British Wind Energy Association). 2005. *Low Frequency Noise and Wind Turbines*. BWEA Briefing Sheet. British Wind Energy Association, London [online]. Available: [http://www.bwea.com/pdf/briefings/lfm\\_summary.pdf](http://www.bwea.com/pdf/briefings/lfm_summary.pdf) [accessed Aug. 24, 2006].
- Callahan, E.V., R.D. Drobney, and R.L. Clawson. 1997. Selection of summer roosting sites by Indiana bats (*Myotis sodalis*) in Missouri. *J. Mammal.* 78(3):818–825.
- Carter, T.C., M.A. Menzel, and D.A. Saugey. 2003. Population trends of solitary foliage-roosting bats. Pp. 41-47 in *Monitoring Trends in Bat Populations of the United States and Territories: Problems and Prospects*, T.J. O’Shea, and M.A. Bogan, eds. *Biological Resources Discipline, Information and Technology Report USGS/BRD/ITR-2003-003*. U.S. Geological Survey [online]. Available: <http://www.fort.usgs.gov/products/publications/21329/21329.pdf> [accessed May 25, 2006].
- Castleberry, S.B. 2000. *Conservation and Management of the Allegheny Woodrat in the Central Appalachians*. Ph.D. Dissertation, West Virginia University, Morgantown, WV. 166pp.
- Castleberry, S.B., W.M. Ford, P.B. Wood, N.L. Castleberry, and M.T. Mengak. 2001. Movements of Allegheny woodrats in relation to timber harvesting. *J. Wildl. Manage.* 65(1):148–156.
- Castleberry S.B., W.M. Ford, P.B. Wood, N.L. Castleberry, M.T. Mengak. 2002. Summer Microhabitat Selection by Foraging Allegheny Woodrats (*Neotoma magister*) in a Managed Forest. *The American Midland Naturalist* 147(1):93-101.
- CBD (Center for Biological Diversity, Inc.). 2004. *Complaint for Violations of California Business and Professions Code Section 17200 et seq. Case No. RG04183113*. Superior Court of the State of California, County of Alameda. November 1, 2004 [online]. Available: [www.abanet.org/enviro/committees/renewableenergy/teleconarchives/011905/altamountcomplaint.pdf](http://www.abanet.org/enviro/committees/renewableenergy/teleconarchives/011905/altamountcomplaint.pdf) [accessed Sept. 11, 2006].
- Chamberlain, C.P., J.D. Blum, R.T. Holmes, X. Feng, T.W. Sherry, and G.R. Graves. 1997. The use of isotope tracers for identifying populations of migratory birds. *Oecologia* 109(1):132-141.

- Chamberlain, D.E., M.R. Rehfisch, A.D. Fox, M. Desholm, and S.J. Anthony. 2006. The effect of avoidance rates on bird mortality predictions made by wind turbine collision risk models. *Ibis* 148(S1):198-202.
- Chambers, C.L., V. Alm, M.S. Siders, and M.J. Rabe. 2002. Use of artificial roost by forest-dwelling bats in northern Arizona. *Wildl. Soc. Bull.* 30(4):1085-1091.
- Chautauqua Windpower, LLC, Ecology and Environment, Inc., Pandion Systems, Inc., and Leboeuf, Lam, Breene and Macrae. 2004. Draft avian risk assessment for the Chautauqua Wind Project: Towns of Westfield and Ripley, Chautauqua County, New York. Prepared for Co-lead Agencies, Towns of Ripley and Westfield, Chautauqua county, New York. 26pp.
- Clark, A.M., P.E. Moler, E.E. Possardt, A.H. Savitzky, W.S. Brown, and B.W. Bowen. 2003. Phylogeography of the timber rattlesnake (*Crotalus horridus*) based on mtDNA sequences. *J. Herpetol.* 37(1):145-154.
- Clark, B.S., D.M. Leslie, Jr., and T.S. Carter. 1993. Foraging activity of adult female Ozark big-eared bats (*Plecotus townsendii ingens*) in summer. *J. Mammal.* 74(2):422-427.
- Clegg, S.M., J.F. Kelly, M. Kimura, and T.B. Smith. 2003. Combining genetic markers and stable isotopes to reveal population connectivity and migration patterns in a neotropical migrant, Wilson's warbler (*Wilsonia pusilla*). *Mol. Ecol.* 12(4):819-830.
- Clemmer, S., D. Donovan, A. Noguee, and J. Deyette. 2001. Clean Energy Blueprint: A Smarter National Energy Policy for Today and the Future. Union of Concerned Scientists with American Council for an Energy-Efficient Economy, Tellus Institute. October 2001 [online]. Available: [http://www.ucsusa.org/clean\\_energy/clean\\_energy\\_policies/clean-energy-blueprint.html](http://www.ucsusa.org/clean_energy/clean_energy_policies/clean-energy-blueprint.html) [accessed Sept. 19, 2006].
- Cleveland, C.J., M. Betke, P. Federico, J.D. Frank, T.G. Hallam, J. Horn, J.D. Lopez, Jr., G.F. McCracken, R.A. Medellin, A. Moreno-Valdez, S.G. Sansone, J.K. Westbrook, and T.H. Kunz. 2006. The economic value of the pest control services provided by the Brazilian free-tailed bats in south-central Texas. *Front. Ecol. Environ.* 4(5):238-243.
- Cochran, W.G. 1977. *Sampling Techniques*, 3rd Ed. New York: Wiley.
- Cochran, W.G., and G.M. Cox. 1957. *Experimental Designs*, 2nd Ed. New York: Wiley.
- Conroy, M.J., J.R. Goldsberry, J.E. Hines, and D.B. Stotts. 1988. Evaluation of aerial transect surveys for wintering American black ducks. *J. Wildl. Manage.* 52(4):694-703.
- Constantine, D. 1966. Ecological observation of lasiurine bats in Iowa. *J. Mammal.* 47(1):34-41.
- Cooper, B.A. 1996. Use of radar for wind power-related avian research. Pp. 58-72 in *Proceedings of National Avian-Wind Power Planning Meeting II*, Palm Springs, California 20-22 September 1995, Palm Springs, CA. Prepared by LGL Ltd., Environmental Research Associates, King City, Ontario [online]. Available: <http://www.nationalwind.org/publications/wildlife/avian95/avian95-08.htm> [accessed June 12, 2006].
- Cooper, B.A., and T.J. Mabee. 2000. Bird Migration Near Proposed Wind Turbine Sites at Wethersfield and Harrisburg, New York. Prepared for Niagara.Mohawk Power Corporation, Syracuse, NY, by ABR, Inc., Forest Grove, OR. 46 pp.
- Cooper, B.A., R.H. Day, R.J. Ritchie, and C.L. Cranor. 1991. An improved marine radar system for studies of bird migration. *J. Field Ornithol.* 62(3):367-377.
- Cooper, B.A., C.B. Johnson, and E.F. Neuhauser. 1995a. The impact of wind turbines in upstate New York. Pp. 607-611 in *Proceedings of Windpower '95 Annual Conference and Exhibition of the American Wind Energy Association*, March 26-30, 1995. Washington, DC: American Wind Energy Association.
- Cooper, B.A., C.B. Johnson, and R.J. Ritchie. 1995b. Bird Migration Near Existing and Proposed Wind Turbine Sites in the Eastern Lake Ontario Region. Prepared for Niagara Mohawk Power Corporation, Syracuse, NY, by ABR, Inc., Forest Grove, OR. 71 pp.
- Cooper, B.A., T.J. Mabee, A.A. Stickney, and J.E. Shook. 2004a. A Visual and Radar Study of Spring Bird Migration at the Proposed Chautauqua Wind Energy Facility, New York. Prepared for Chautauqua Windpower LLC, Lancaster, NY, by ABR, Inc., Forest Grove, OR. April 27, 2004 [online]. Available: [http://www.abrinc.com/news/Publications\\_Newsletters/Visual%20and%20Radar%20Study%20of%20Bird%20Migration,%20Chautauqua%20Wind%20Energy%20Facility,%20NY,%20Spring%202003.pdf](http://www.abrinc.com/news/Publications_Newsletters/Visual%20and%20Radar%20Study%20of%20Bird%20Migration,%20Chautauqua%20Wind%20Energy%20Facility,%20NY,%20Spring%202003.pdf) [accessed June 13, 2006].
- Cooper, B.A., A.A. Stickney, and T.J. Mabee. 2004b. A Radar Study of Nocturnal Bird Migration at the Proposed Chautauqua Wind Energy Facility, New York, Fall 2003. Prepared for Chautauqua Windpower LLC, Lancaster, NY, by ABR, Inc., Forest Grove, OR. April 27, 2004 [online]. Available: [http://www.abrinc.com/news/Publications\\_Newsletters/Radar%20Study%20of%20Nocturnal%20Bird%20Migration,%20Chautauqua%20Wind%20Energy%20Facility,%20NY,%20Fall%202003.pdf](http://www.abrinc.com/news/Publications_Newsletters/Radar%20Study%20of%20Nocturnal%20Bird%20Migration,%20Chautauqua%20Wind%20Energy%20Facility,%20NY,%20Fall%202003.pdf) [accessed June 13, 2006].

- Cooper, B.A., T.J. Mabee, and J.H. Plissner. 2004c. Case Studies: Application of Radar and Visual Study Techniques at Wind Energy Sites. Slide presentation at National Avian-Wind Power Planning Meeting V, November 3-4, 2004, Lansdowne, VA [online]. Available: [http://www.nationalwind.org/events/wildlife/2004-2/presentations/Cooper\\_Technology.pdf](http://www.nationalwind.org/events/wildlife/2004-2/presentations/Cooper_Technology.pdf) [accessed June 13, 2006].
- Cooper, R.J., J.A. DeCecco, M.R. Marshall, A.B. Williams, G.A. Gale, and S.B. Cederbaum. 2005a. Bird studies. Chapter 6 in Long-Term Evaluation of the Effects of *Bacillus thuringiensis kurstaki*, Gypsy Moth Nucleopolyhedrosis Virus Product Gypchek, and *Entomophaga maimaiga* on Nontarget Organisms in Mixed Broadleaf-Pine Forests in the Central Appalachians, J.S. Strazanac, and L. Butler, eds. FHTET 2004-14. U.S. Department of Agriculture, Forest Service, Forest Health Technology Enterprise Team, Morgantown, WV.
- Cooper, B.A., T.J. Mabee, and J.H. Plissner. 2005b. Application of radar and other tools on avian species. Pp. 75-76 in Proceedings of the Onshore Wildlife Interactions with Wind Developments: Research Meeting V., November 3-4, 2004, Lansdowne, VA, S.S. Schwartz, ed. Prepared for the Wildlife Subcommittee of the National Wind Coordinating Committee by RESOLVE, Inc., Washington, DC [online]. Available: <http://www.nationalwind.org/events/wildlife/2004-2/proceedings.pdf> [accessed June 13, 2006].
- Corben, C. 2004. Zero-crossing analysis for bat identification: An overview. Pp. 95-107 in Bat Echolocation Research: Tools, Techniques, and Analysis, R.M. Brigham, E.K.V. Kalko, G. Jones, S. Parsons, and H.J.G.A. Limpens, eds. Austin, TX: Bat Conservation International.
- Cornell Lab of Ornithology. 2005. The Birds of North America Online. Cornell Lab of Ornithology and the American Ornithologists Union [online]. Available: <http://bna.birds.cornell.edu/BNA/> [accessed Dec. 27, 2006].
- Corten, G.P., and H.F. Veldkamp. 2001. Aerodynamics: Insects can halve wind-turbine power. *Nature* 412(6842):42-43.
- Cox, D.R. 1958. Planning of Experiments. New York: Wiley.
- CPC (Climate Prediction Center). 2004. Regional Climate Maps: USA, Twelve Month Total Precipitation: Jan.-Dec. 2005. Climate Prediction Center, National Weather Service, National Oceanic and Atmospheric Administration [online]. Available: [http://www.cpc.ncep.noaa.gov/products/analysis\\_monitoring/regional\\_monitoring/us\\_12-month\\_precip.shtml](http://www.cpc.ncep.noaa.gov/products/analysis_monitoring/regional_monitoring/us_12-month_precip.shtml) [accessed Oct. 5, 2006].
- Crockford, N.J. 1992. A Review of the Possible Impacts of Wind Farms on Birds and Other Wildlife. JNCC Report 27. Joint Nature Conservation Committee, Peterborough, UK.
- Crum, T.D., and R.L. Alberty. 1993. The WSR-88D and the WSR-88D operational support facility. *Bull. Am. Meteorol. Soc.* 74(9):1669-1687.
- Crum, T.D., R.L. Alberty, and D.W. Burgess. 1993. Recording, archiving, and using WSR-88D data. *Bull. Am. Meteorol. Soc.* 74(4):645-653.
- Cryan, P.M. 2003. Seasonal distribution of migratory tree bats (*Lasiurus* and *Lasionycteris*) in North America. *J. Mammal.* 84(2):579-593.
- Curry & Kerlinger LLC, and ESS Group, Inc. 2004. Spring/Fall 2002 Avian Radar Studies for the Cape Wind Energy Project Nantucket Sound. Appendix 5.7-E in Cape Wind Energy Project Draft Environmental Impact Statement. ESS Project No. E159. Prepared for Cape Wind Associates, Boston MA, by Curry & Kerlinger, LLC, Cape May Point, NJ, and ESS Group, Inc., Sandwich, MA. May 12, 2004 [online]. Available: <http://www.nae.usace.army.mil/projects/ma/ccwf/app57e.pdf> [accessed June 13, 2006].
- Cyalume Light Technologies. 2006. Cyalume®. Cyalume Light Technologies, West Springfield, MA [online]. Available: <http://www.cyalume.com/> [accessed Oct. 16, 2006].
- Daily, G.C., S. Alexander, P.R. Ehrlich, L. Goulder, J. Lubchenco, P.A. Matson, H.A. Mooney, S. Postel, S.H. Schneider, D. Tilman, and G.M. Woodwell. 1997. Ecosystem Services: Benefits Supplied to Human Societies by Natural Ecosystems. *Issues in Ecology* 2. Washington, DC: Ecological Society of America.
- Damborg, S. 2002. Public Attitudes Toward Wind Power. Danish Wind Industry Association [online]. Available: [http://www.windpower.org/media\(485,1033\)/public\\_attitudes\\_towards\\_wind\\_power.pdf](http://www.windpower.org/media(485,1033)/public_attitudes_towards_wind_power.pdf) [accessed April 24, 2007].
- Dalquest, W.W. 1943. Seasonal distribution of the hoary bat along the Pacific Coast. *Murrelet* 24:21-24.
- Day, R.H., and L.C. Byrne. 1989. Avian Research Program for the Over-the-Horizon Backscatter Central Radar System, Spring 1989: Radar Studies of Bird Migration. Prepared for Metcalf & Eddy/Holmes and Narver, Inc., Wakefield, MA, by ABR, Inc., Forest Grove, OR. 102 pp.

- Day, R.H., and L.C. Byrne. 1990. Avian Research Program for the Over-the-Horizon Backscatter Central Radar System: Radar Studies of Bird Migration Fall 1989. Prepared for Metcalf & Eddy/Holmes and Narver, Inc., Wakefield, MA, by ABR, Inc., Forest Grove, OR. 111 pp.
- DeCarolis, J.F., and D.W. Keith. 2006. The economics of large-scale wind power in a carbon constrained world. *Energy Policy* 34(4):395-410.
- DEHLG (Department of the Environment, Heritage and Local Government). 2006. Wind Energy Development Guidelines for Planning Authorities. Department of the Environment, Heritage and Local Government, Dublin, Ireland [online]. Available: <http://www.environ.ie/DOEI/DOEIPub.nsf/enSearchView/5559589989DC56328025719C004EB778?OpenDocument&Lang=en> [accessed Sept. 12, 2006].
- Delibes, M., P. Gaona, and P. Ferreras. 2001. Effects of an attractive sink leading into maladaptive habitat selection. *Am. Nat.* 158(3):277-285.
- deMaynadier, P.G., and M.L. Hunter, Jr. 2000. Road effects on amphibian movements in a forested landscape. *Nat. Area. J.* 20:56-65.
- Demong, N.J., and S.T. Emlen. 1978. Radar tracking of experimentally released migrant birds. *Bird Banding* 49(4):342-359.
- Denholm, P., G.L. Kulcinski, and T. Holloway. 2005. Emissions and energy efficiency assessment of baseload wind energy systems. *Environ. Sci. Technol.* 39(6):1903-1911.
- DeSante, D.F., K.M. Burton, P. Velez, and D. Froehlich. 2001. MAPS Manual: 2001 Protocol. The Institute for Bird Populations, Point Reyes Station, CA. 67 pp.
- Desholm, M. 2003. Thermal Animal Detection System (TADS). Development of a Method for Estimating Collision Frequency of Migrating Birds at Offshore Wind Turbines. NERI Technical Report No. 440. National Environmental Research Institute, Denmark [online]. Available: [http://www2.dmu.dk/1\\_viden/2\\_Publikationer/3\\_fagrappporter/rapporter/FR440.pdf](http://www2.dmu.dk/1_viden/2_Publikationer/3_fagrappporter/rapporter/FR440.pdf) [accessed June 7, 2006].
- Desholm, M., and J. Kahlert. 2005. Avian collision risk at an offshore wind farm. *Biol. Lett.* 1(3):296-298.
- Desholm, M., A.D. Fox, and P.D. Beasley. 2004. Best Practice Guidance for the Use of Remote Techniques for Observing Bird Behaviour in Relation to Offshore Wind Farms. Report produced for Collaborative Offshore Wind Research into the Environment (COWRIE) Consortium, by National Environmental Research Institute, Rønde, Denmark, and QinetiQ, Malvern Technology Centre, Worcestershire, UK [online]. Available: <http://www.offshorewindfarms.co.uk/Downloads/REMOTETECHNIQUES-FINALREPORT.pdf> [accessed June 13, 2006].
- Didham, R.K. 1997. The influence of edge effects and forest fragmentation on leaf-litter invertebrates in central Amazonia. Pp. 55-70 in *Tropical Forest Remnants: Ecology, Management, and Conservation of Fragmented Communities*, W.F. Laurance, and R.O. Bierregaard, eds. Chicago IL: University of Chicago Press.
- Diefenbach, D. R., C. Butchkoski and J. D. Hassinger. 2005. The effects of forest fragmentation and population size on the occupancy of woodrat Habitat Sites and habitat management system priorities, a first cut. State Wildlife Grant Report. Pennsylvania Game Commission, Harrisburg, Pennsylvania, USA.
- Diehl, R.H., and R.P. Larkin. 2005. Introduction to the WSR-88D (NEXRAD) for ornithological research. Pp. 876-888 in *Bird Conservation Implementation and Integration in the Americas: Proceedings of the Third International Partners in Flight Conference, March 20-24, 2002, Asilomar, CA, Vol. 2*, C.J. Ralph, and T.D. Rich, eds. Gen. Tech. Rep. PSW-GTR-191. U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station, Albany, CA. June 2005 [online]. Available: [http://www.fs.fed.us/psw/publications/documents/psw\\_gtr191/Asilomar/pdfs/876-888.pdf](http://www.fs.fed.us/psw/publications/documents/psw_gtr191/Asilomar/pdfs/876-888.pdf) [accessed June 13, 2006].
- Diehl, R.H., R.P. Larkin, and J.E. Black. 2003. Radar observation of bird migration over the Great Lakes. *Auk* 120(2):278-290.
- DiMauro, D., and M.I. Hunter, Jr. 2002. Reproduction of amphibians in natural and anthropogenic temporary pools in managed forests. *For. Sci.* 48(2):397-406.
- Dinsmore, S.J., and D.H. Johnson. 2005. Population analysis in wildlife biology. Pp. 154-169 in *Techniques for Wildlife Investigations and Management* (C.E. Braun, ed.). Sixth edition. The Wildlife Society, Bethesda, Maryland.
- DOD (U.S. Department of Defense). 2006. Interim policy on proposed windmill farm locations. [online]. Available: <http://www.af.mil/shared/media/document/AFD-060801-032.pdf> [accessed April 23, 2007].

- DTI (U.K. Department of Trade and Industry). 2003. Wind farms impact on radar aviation interests-final report. FES W/14/00614/00/REP. [online]. Available: <http://www.dti.gov.uk/files/file18038.pdf> [accessed April 27, 2007].
- Duguay, J. P., P. B. Wood, and J. V. Nichols. 2001. Songbird abundance and avian nest survival rates in forests fragmented by different silvicultural treatments. *Conservation Biology* 15:1405-1415.
- Duguay, J. P., P. B. Wood, and G. W. Miller. 2000. Effects of timber harvests on invertebrate biomass and avian nest success. *Wildlife Society Bulletin* 28:1123-1131.
- Duguay, J. P. 1997. Influence of two-age and clearcut timber management practices on songbird abundance, nest success, and invertebrate biomass in West Virginia. Ph.D. Dissertation. West Virginia University, Morgantown.
- Dürr, T., and L. Bach. 2004. Bat deaths and wind turbines—A review of current knowledge, and of information available in the database for Germany [in German]. *Bremer Beiträge für Naturkunde und Naturschutz* 7:253-264.
- DWEA (Danish Wind Energy Association). 2003a. Wind Turbines and the Environment: Landscape. Danish Wind Energy Association, Copenhagen, Denmark [online]. Available: <http://www.windpower.org/en/tour/env/index.htm> [accessed Sept. 5, 2006].
- DWEA (Danish Wind Energy Association). 2003b. Shadow Casting from Wind Turbines. Danish Wind Energy Association, Copenhagen, Denmark [online]. Available: <http://www.windpower.org/en/tour/env/shadow/index.htm> [accessed Sept. 5, 2006].
- DWEA (Danish Wind Energy Association). 2004. Wind Turbine Planning – Heading for Structural Reorganization. Danish Wind Industry Association (Vindmølleindustrien). September 2004.
- Eastwood, E. 1967. *Radar Ornithology*. London: Methuen.
- Eby, P. 1991. Seasonal movements of grey-headed flying-foxes, *Pteropus poliocephalus* (Chiroptera: Pteropodidae), from two maternity camps in northern New South Wales. *Wildlife Res.* 18(5):547-559.
- EERE (Energy Efficiency and Renewable Energy). 2006. Wind and Hydropower Technologies Program. Energy Efficiency and Renewable Energy, U.S. Department of Energy [online]. Available: <http://www1.eere.energy.gov/windandhydro/about.html> [accessed on Oct. 24, 2006].
- Efroymsen, R.A., and G.W. Suter II. 2001. Ecological risk assessment framework for low-altitude aircraft overflights: II. Estimating effects on wildlife. *Risk Anal.* 21(2):263-274.
- eGRID 2000. 2006. Emissions and Generation Resource Integrated Database. U.S. Environmental Protection Agency [online]. Available: <http://www.epa.gov/cleanenergy/egrid/index.htm> [accessed on Aug. 17, 2006].
- EIA (Energy Information Administration). 2004a. Form EIA-860 Database: 2004 Annual Electric Generator Report. Energy Information Administration, U.S. Department of Energy [online]. Available: <http://www.eia.doe.gov/cneaf/electricity/page/eia860.html> [accessed Aug. 17, 2006].
- EIA (Energy Information Administration). 2004b. Form EIA-906 and EIA-920 Databases: 2004. Energy Information Administration, U.S. Department of Energy [online]. Available: [http://www.eia.doe.gov/cneaf/electricity/page/eia906\\_920.html](http://www.eia.doe.gov/cneaf/electricity/page/eia906_920.html) [accessed Aug. 17, 2006].
- EIA (Energy Information Administration). 2004c. Electricity Sales and Revenue, Office of Coal, Nuclear, Electric, and Alternative Fuels, Energy Information Administration, U.S. Department of Energy [online]. Available: [http://www.eia.doe.gov/cneaf/electricity/page/sales\\_revenue.xls](http://www.eia.doe.gov/cneaf/electricity/page/sales_revenue.xls) [accessed Aug. 17, 2006].
- EIA (Energy Information Administration). 2005a. Electric Power Annual 2004. DOE/EIA-0348(2004). Office of Coal, Nuclear, Electric and Alternate Fuels, U.S. Department of Energy, Washington, DC [online]. Available: [http://www.eia.doe.gov/cneaf/electricity/epa/epa\\_sum.html](http://www.eia.doe.gov/cneaf/electricity/epa/epa_sum.html) [accessed July 17, 2006].
- EIA (Energy Information Administration). 2005b. Emissions of Greenhouse Gases in the United States. DOE/EIA-0573(2004). December 2005 [online]. Available: [http://www.eia.doe.gov/oiaf/1605/ggrpt/pdf/appc\\_tbl2.pdf](http://www.eia.doe.gov/oiaf/1605/ggrpt/pdf/appc_tbl2.pdf) [accessed on Sept. 9, 2006].
- EIA (Energy Information Administration). 2006a. Annual Energy Outlook 2006 with Projections to 2030. DOE/EIA-0383(2006). Energy Information Administration, Office of Integrated Analysis and Forecasting, U.S. Department of Energy, Washington, DC. February 2006 [online]. Available: <http://www.eia.doe.gov/oiaf/aeo> [accessed Aug. 17, 2006].
- EIA (Energy Information Administration). 2006b. International Energy Annual 2004. Energy Information Administration, U.S. Department of Energy, Washington, DC. July 2006 [online]. Available: <http://www.eia.doe.gov/iea/> [accessed on Aug. 17, 2006].
- EIA (Energy Information Administration). 2006c. U.S. Carbon Dioxide Emissions from Energy Sources 2005 Flash Estimate. Office of Integrated Analysis and Forecasting, EI-81, Energy Information Administration,

- U.S. Department of Energy. June 2006 [online]. Available: <http://www.eia.doe.gov/oiaf/1605/flash/flash.html> [accessed Oct. 26, 2006].
- EIA (Energy Information Administration). 2006d. Annual Energy Review. DOE/EIA-0384(2005). July 2006 [online]. Available: <http://www.eia.doe.gov/emeu/aer/elect.html> [accessed Sept. 9, 2006].
- Elliott, D.L., C.G. Holliday, W.R. Barchet, H.P. Foote, and W.F. Sandusky. 1986. Wind Energy Resource Atlas of the United States. DOE/CH 10093-4. Golden, CO: Solar Energy Research Institute. October 1986 [online]. Available: <http://rredc.nrel.gov/wind/pubs/atlas/> [accessed Sept. 19, 2006].
- E.ON Netz. 2005. Wind Report 2005. E.ON Netz GmbH, Bayreuth, Germany [online]. Available: [http://www.eon-netz.com/Ressources/downloads/EON\\_Netz\\_Windreport2005\\_eng.pdf](http://www.eon-netz.com/Ressources/downloads/EON_Netz_Windreport2005_eng.pdf) [accessed Sept. 19, 2006].
- E.ON Netz. 2006. Data and Facts Relating to Wind Power in Germany, Supplement to the “Wind Report 2005” E.ON Netz GmbH, Bayreuth, Germany [online]. Available: [http://www.eon-netz.com/EONNETZ\\_eng.jsp](http://www.eon-netz.com/EONNETZ_eng.jsp) [accessed Sept. 19, 2006].
- EPA (U.S. Environmental Protection Agency). 1992. Framework for Ecological Risk Assessment. EPA/630/R-92/001. Risk Assessment Forum, U.S. Environmental Protection Agency, Washington, DC. February 1992 [online]. Available: [http://risk.lsd.ornl.gov/homepage/FRMWRK\\_ERA.PDF](http://risk.lsd.ornl.gov/homepage/FRMWRK_ERA.PDF) [accessed June 5, 2006].
- EPA (U.S. Environmental Protection Agency). 2004. Guidance on State Implementation Plan (SIP) Credits for Emission Reductions from Electric-Sector Energy Efficiency or Renewable Energy Measures. Office of Air and Radiation, U.S. Environmental Protection Agency. August 2004 [online]. Available: [http://www.epa.gov/ttn/naaqs/ozone/eac/gm040805\\_eac\\_energy-efficiency.pdf](http://www.epa.gov/ttn/naaqs/ozone/eac/gm040805_eac_energy-efficiency.pdf) [accessed Aug. 17, 2006].
- EPA (U.S. Environmental Protection Agency). 2005. Air Emissions Trends - Continued Progress Through 2004, Complete Tables of National Emissions Totals [online]. Available: <http://epa.gov/airtrends/2005/pdfs/detailedtable.xls> [accessed on Aug. 17, 2006].
- EPA (U.S. Environmental Protection Agency). 2006a. Controlling Power Plant Emissions: Overview [online]. Available: [www.epa.gov/mercury/control\\_emissions/index.htm](http://www.epa.gov/mercury/control_emissions/index.htm) [accessed July 11, 2006].
- EPA (U.S. Environmental Protection Agency). 2006b. eGRID: Emissions and Generation Resource Integrated Database [online]. Available: <http://www.epa.gov/cleanenergy/egrid/index.htm> [accessed on Aug. 17, 2006].
- EPA (U.S. Environmental Protection Agency). 2006c. Six Common Air Pollutants. Office of Air and Radiation, U.S. Environmental Protection Agency [online]. Available: <http://www.epa.gov/air/urbanair/6poll.html> [accessed March 19, 2006].
- EPA (U.S. Environmental Protection Agency). 2006d. National Pollutant Discharge Elimination System. [online]. Available: <http://cfpub.epa.gov/npdes/>. [accessed January 30, 2007].
- Erickson, W.P., G.D. Johnson, M.D. Strickland, and K. Kronner. 2000. Avian and Bat Mortality Associated with the Vansycle Wind Project, Umatilla County, Oregon 1999 Study Year. Final Report. Prepared by WEST, Inc., Cheyenne, WY, for Umatilla County Department of Resource Services and Development, Pendleton, OR. February 7, 2000 [online]. Available: <http://www.west-inc.com/reports/vansyclereportnet.pdf> [accessed May 23, 2006].
- Erickson, W., G. Johnson, M. Stickland, D. Young, Jr., K. Sernka, and R. Good. 2001. Avian Collisions with Wind Turbines: A Summary of Existing Studies and Comparisons to Other Sources of Avian Collision Mortality in the United States. Washington, DC: Resolve, Inc. August 2001 [online]. Available: [http://www.west-inc.com/reports/avian\\_collisions.pdf](http://www.west-inc.com/reports/avian_collisions.pdf) [accessed Sept. 13, 2006].
- Erickson, W., G. Johnson, D. Young, D. Strickland, R. Good, M. Bourassa, K. Bay, and K. Sernka. 2002. Synthesis and Comparison of Baseline Avian and Bat Use, Raptor Nesting and Mortality Information from Proposed and Existing Wind Developments. Prepared by Western EcoSystems Technology, Inc., Cheyenne, WY, for Bonneville Power Administration, Portland, OR. December 2002 [online]. Available: [http://www.bpa.gov/Power/pgc/wind/Avian\\_and\\_Bat\\_Study\\_12-2002.pdf](http://www.bpa.gov/Power/pgc/wind/Avian_and_Bat_Study_12-2002.pdf) [accessed May 18, 2006].
- Erickson, W.P., J. Jeffrey, K. Kronner, and K. Bay. 2003a. Stateline Wind Project Wildlife Monitoring Annual Report: Results for the Period July 2001 – December 2002. Prepared for FPL Energy, Stateline Technical Advisory Committee, Oregon Department of Energy, by Western Ecosystems Technology, Inc. Cheyenne, WY.
- Erickson, W.P., K. Kronner, and B. Gritski. 2003b. Nine Canyon Wind Power Project, Avian and Bat Monitoring Report: September 2002-August 2003. Prepared for Nine Canyon Technical Advisory Committee and Energy Northwest, by West, Inc, Cheyenne, WY and Northwest Wildlife Consultants, Inc, Pendleton, OR. October 2003 [online]. Available: [http://www.west-inc.com/reports/nine\\_canyon\\_monitoring\\_final.pdf](http://www.west-inc.com/reports/nine_canyon_monitoring_final.pdf) [accessed May 23, 2006].

- Erickson, W.P., J. Jeffrey, K. Kronner, and K. Bay. 2004. Stalene Wind Project Wildlife Monitoring Report: July 2001 – December 2003. Prepared for FPL Energy, Stalene Technical Advisory Committee, Oregon Department of Energy, by Western EcoSystems Technology, Inc., Cheyenne, WY and Walla Walla, WA; and Northwest Wildlife Consultants, Inc., Pendleton, OR. December 2004 [online]. Available: [http://www.west-inc.com/reports/swp\\_final\\_dec04.pdf](http://www.west-inc.com/reports/swp_final_dec04.pdf) [accessed May 23, 2006].
- Erickson, W.P., G.D. Johnson, and D.P. Young. 2005. A Summary and Comparison of Bird Mortality from Anthropogenic Causes with an Emphasis on Collisions. USDA Forest Service General Technical Report PSW-GTR-191. Available online at [www.fs.fed.us/psw/publications/documents/psw\\_gtr191/Asilomar/pdfs/1029-1042.pdf](http://www.fs.fed.us/psw/publications/documents/psw_gtr191/Asilomar/pdfs/1029-1042.pdf).
- Estep, J. 1989. Avian Mortality at Large Wind Energy Facilities in California: Identification of a Problem. CEC P700-89-001. Sacramento, CA: California Energy Commission.
- Estrada, A., and R. Coates-Estrada. 2002. Bats in continuous forest, forest fragments and in an agricultural mosaic habitat-island at Los Tuxtlas, Mexico. *Biol. Conserv.* 103(2):237-245.
- European Commission. 1995. Externalities of energy: ExternE Project. For the Directorate General XII. Prepared by Metroeconomica, CEPN, IER, Eyre Energy-Environment, ETSU, Ecole des Mines.
- Evans, W.R. 1994. Nocturnal flight call of Bicknell's Thrush. *Wilson Bull.* 106(1):55-61.
- Evans, W.R., and D.K. Mellinger. 1999. Monitoring grassland birds in nocturnal migration. *Stud. Avian Biol.* 19(1):219-229.
- Evans, W.R., and M. O'Brien. 2002. Flight Calls of Migratory Birds (Eastern North American Landbirds) [CD-ROM]. Old Bird, Inc., Ithaca, NY.
- Evans, W.R., and K.V. Rosenberg. 1999. Acoustic monitoring of night-migrating birds: A progress report. In *Strategies of Bird Conservation: The Partners in Flight Planning Process*, Proceedings of the 3rd Partners in Flight Workshop; 1995 October 1-5; Cape May, NJ, R. Bonney, D.N. Pashley, R.J. Cooper, and L. Niles, eds. Proceedings RMRS-P-16. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station [online]. Available: [http://birds.cornell.edu/pifcapemay/evans\\_rosenberg.htm](http://birds.cornell.edu/pifcapemay/evans_rosenberg.htm) [accessed Dec. 28, 2006].
- EWEA (European Wind Energy Association). 2006. 20 Years After Chernobyl: Wind Power Established as the Safe, Clean and Cheap Option. European Wind Energy Association. Press Releases: April 24, 2006 [online]. Available: [http://www.ewea.org/index.php?id=60&no\\_cache=1&tx\\_ttnews\[tt\\_news\]=107&tx\\_ttnews\[backPid\]=1&chash=2502aa89fd](http://www.ewea.org/index.php?id=60&no_cache=1&tx_ttnews[tt_news]=107&tx_ttnews[backPid]=1&chash=2502aa89fd) [accessed Aug. 24, 2006].
- Fahrig, L. 2003. Effects of habitat fragmentation on biodiversity. *Annu. Rev. Ecol. Evol. Syst.* 34:487-515.
- Farnsworth, A. 2005. Flight calls and their value for future ornithological studies and conservation research. *Auk* 122(3):733-746.
- Farnsworth, A., and I.J. Lovette. 2005. Evolution of nocturnal flight calls in migrating wood-warblers: Apparent lack of morphological constraints. *J. Avian Biol.* 36(4):337-347.
- Farnsworth, A., S.A. Gauthreaux, Jr., and D. van Blaricom. 2004. A comparison of nocturnal call counts of migrating birds and reflectivity measurements on Doppler radar. *J. Avian Biol.* 35(4):365-369.
- Fenton, M.B. 1990. The foraging behavior and ecology of animal-eating bats. *Can. J. Zool.* 68(3):411-422.
- Fenton, M.B. 2000. Choosing the "correct" bat detector. *Acta Chiropterologica* 2(2):215-224.
- Fenton, M.B. 2004. Aerial-feeding bats: Getting the most out of echolocation. Pp. 350-354 in *Echolocation in Bats and Dolphins*, J.A. Thomas, C.F. Moss, and M. Vater, eds. Chicago: University of Chicago Press
- Fenton, M.B., and D.W. Thomas. 1985. Migrations and dispersal of bats (*Chiroptera*). *Contrib. Mar. Sci.* 27(Suppl.):409-424.
- FERC (Federal Energy Regulatory Commission). 2005. About FERC [online]. Available: <http://www.ferc.gov/for-citizens/about-ferc.asp> [accessed Sept. 18, 2006].
- Fiedler, J.K. 2004. Assessment of Bat Mortality and Activity at Buffalo Mountain Windfarm, Eastern Tennessee. M.S. Thesis, University of Tennessee, Knoxville, TN.
- Fingersh, L.J. 2004. Optimization of Utility-Scale Wind-Hydrogen-Battery Systems. Preprint: To be presented at the World Energy Renewable Congress VIII, August 29-September 3, 2004, Denver, CO. NREL/CP-500-36117. National Renewable Energy Laboratory, Golden, CO. July 2004 [online]. Available: <http://www.nrel.gov/docs/fy04osti/36117.pdf> [accessed Sept. 19, 2006].
- Fleming, T.H., and P. Eby. 2003. Ecology of bat migration. Pp. 156-208 in *Bat Ecology*, T.H. Kunz, and M.B. Fenton, eds. Chicago, IL: University of Chicago Press.
- Florence, J. 2006. Global Wind Power Expands in 2006. Earth Policy Institute. June 28, 2006 [online]. Available: <http://www.earth-policy.org/Indicators/Wind/2006.htm> [accessed Sept. 27, 2006].

- Flowers, L. 2006. Wind Energy Update. Wind Powering America. PowerPoint Presentation. National Renewable Energy Laboratory, U.S. Department of Energy [online]. Available: [www.eere.energy.gov/windandhydro/windpoweringamerica/pdfs/wpa/wpa\\_update.pdf](http://www.eere.energy.gov/windandhydro/windpoweringamerica/pdfs/wpa/wpa_update.pdf) [accessed Sept. 19, 2006].
- Forman, R.T.T., D. Sperling, J.A. Bissonette, A.P. Clewenger, C.C. Cutshal, V.H. Dale, L. Fahrig, R. France, C.R. Coldman, K. Heanue, J.A. Jones, W.J. Swanson, T. Turrentine, and T.C. Winter. 2003. Road Ecology: Science and Solutions. Washington, DC: Island Press.
- Frank, J.D., T.H. Kunz, J. Horn, C. Cleveland, and S. Petronio. 2003. Advanced infrared detection and image processing for automated bat censusing. Pp. 261-271 in *Infrared Technology and Applications XXIX*: 21-25 April, 2003, Orlando, FL, B.F. Andresen, and G.F. Fulop, eds. Proceedings of SPIE- the International Society for Optical Engineering Vol. 5074. Bellingham, WA: SPIE.
- Freemark, C., and B. Collins. 1992. Landscape ecology of birds breeding in temperate forest fragments. Pp. 443-454 in *Ecology and Conservation of Neotropical Migrant Landbirds*, J.M. Hagan, and D.W. Johnston, eds. Washington, DC: Smithsonian Institution Press.
- Fristrup, K. and A. Dhondt. 2001. The Impact of wind turbines on birds in New York state. Prepared for Niagara Mohawk Power Corporation, Syracuse, NY.
- Fujita, M.S., and T.H. Kunz. 1984. *Pipistrellus subflavus*. *Mammalian Species* 228:1-6.
- Furlonger, C.L., H.J. Dewar, and M.B. Fenton. 1987. Habitat use by foraging insectivorous bats. *Can. J. Zool.* 65(2):284-288.
- Gaines, W.L., A.L. Lyons, J.F. Lehmkuhl, and K.J. Raedeke. 2005. Landscape evaluation of female black bear habitat effectiveness and capability in the North Cascades, Washington. *Biol. Conserv.* 125(4):411-425.
- Gannes, L.Z., D.M. O'Brien, and C. Martinez Del Rio. 1997. Stable isotopes in animal ecology: assumptions, caveats, and a call for more laboratory experiments. *Ecology* 78(4):1271-1276.
- Gannon, W.L., and R.E. Sherwin. 2004. Are acoustic detectors a "silver bullet" for assessing habitat use by bats? Pp. 38-45 in *Bat Echolocation Research: Tools, Techniques, and Analysis*, R.M. Brigham, E.K.V. Kalko, G. Jones, S. Parsons, and H.J.G.A. Limpens, eds. Austin, TX: Bat Conservation International.
- Gannon, W.L., R.E. Sherwin, and S. Haymond. 2003. On the importance of articulating assumptions when conducting acoustic studies of habitat use by bats. *Wildl. Soc. Bull.* 31(1):45-61.
- GAO (U.S. General Accountability Office). 2004. Renewable energy: wind power's contribution to electric power generation and impact on farms and rural communities. GAO-04-756. U.S. General Accountability Office, Washington, DC [online]. Available: <http://www.gao.gov/new.items/d04756.pdf> [accessed Sept. 26, 2006].
- GAO (U.S. Government Accountability Office). 2005. Wind power: Impacts on Wildlife and Government Responsibilities for Regulating Development and Protecting Wildlife. GAO-05-9006. U.S. Government Accountability Office, Washington, DC. September 2005 [online]. Available: <http://www.gao.gov/new.items/d05906.pdf> [accessed May 18, 2006].
- Gauthreaux, S.A., Jr. 1969. A portable ceilometer technique for studying low-level nocturnal migration. *Bird-Banding* 40(4):309-320.
- Gauthreaux, S.A., Jr. 1970. Weather radar quantification of bird migration. *BioScience* 20(1):17-20.
- Gauthreaux, S.A., Jr. 1980. Direct Visual and Radar Methods for the Detection, Quantification, and Prediction of Bird Migration. Special Publication No. 2. Department of Zoology, Clemson University, Clemson, SC. 67 pp.
- Gauthreaux, S.A., Jr. 1985a. Radar, Electro-Optical, and Visual Methods of Studying Bird Flight Near Transmission Lines. EPRI EA-4120. Palo Alto, CA: Electric Power Research Institute.
- Gauthreaux, S.A., Jr. 1985b. An avian migration mobile research laboratory: Hawk migration study. Pp. 339-346 in *Proceedings of Hawk Migration Conference IV*, M. Harwood, ed. Medford, MA: Hawk Migration Association of North America.
- Gauthreaux, S.A., Jr. 1991. The flight behavior of migrating birds in changing wind fields: Radar and visual analyses. *Am. Zool.* 31(1):187-204.
- Gauthreaux, S.A., Jr., and C.G. Belser. 1998. Displays of bird movements on the WSR-88D: Patterns and quantification. *Weather Forecast.* 13(2):453-464.
- Gauthreaux, S.A., Jr., and C.G. Belser. 1999. "Reply" to displays of bird movements on the WSR-88D: Patterns and quantification. *Weather Forecast.* 14(6):1041-1042.
- Gauthreaux, S.A., Jr., and C.G. Belser. 2003a. Radar ornithology and biological conservation. *Auk* 120(2):266-277.

- Gauthreaux, S.A., Jr., and C.G. Belser. 2003b. Bird movements on Doppler weather surveillance radar. *Birding* 35(6):616-628.
- Gauthreaux, S.A., Jr., and C.G. Belser. 2005. Radar ornithology and the conservation of migratory birds. Pp. 871-875 in *Bird Conservation Implementation and Integration in the Americas: Proceedings of the Third International Partners in Flight Conference, March 20-24, 2002, Asilomar, CA, Vol. 2*, C.J. Ralph, and T.D. Rich, eds. Gen. Tech. Rep. PSW-GTR-191. U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station, Albany, CA. June 2005 [online]. Available: [http://www.fs.fed.us/psw/publications/documents/psw\\_gtr191/Asilomar/pdfs/871-875.pdf](http://www.fs.fed.us/psw/publications/documents/psw_gtr191/Asilomar/pdfs/871-875.pdf) [accessed June 13, 2006].
- Gauthreaux, S.A., Jr., and C.G. Belser. 2006. Effects of artificial night lighting on migratory birds. Pp. 67-93 in *Ecological Consequences of Artificial Night Lighting*, C. Rich, and T. Longcore, eds. Washington, DC: Island Press.
- Gauthreaux, S.A., Jr., and J.W. Livingston. 2006. Monitoring bird migration with a fixed-beam radar and a thermal imaging camera. *J. Field Ornithol.* 77(3):319-328.
- Gauthreaux, S.A., Jr., C.G. Belser, and D. van Blaricom. 2003. Using a network of WSR 88-D weather surveillance radars to define patterns of bird migration at large spatial scales. Pp. 335-346 in *Avian Migration*, P. Berthold, E. Gwinner, and E. Sonnenschein, eds. Berlin: Springer.
- Gilbert, R.O. 1987. *Statistical Methods for Environmental Pollution Monitoring*. New York: Van Nostrand Reinhold Company.
- Gill, J.P., M. Townsley, and G.P. Mudge. 1996. Review of the Impacts of Wind Farms and Other Aerial Structures Upon Birds. *Scottish Natural Heritage Review No 21*. Edinburgh: Scottish Natural Heritage.
- Gipe, P. 2002. Design as if people matter: aesthetic guidelines for a wind power future. Chapter in Pasqualetti, Martin J, P. Gipe and R. W. Righter, *Wind Power in View, Energy Landscapes in a Crowded World*. San Diego, California: Academic Press.
- Gipe, P. 2003. Wind Energy "Best Practice" Guides-Wresting Standards From Conflict [online]. Available: <http://www.wind-works.org/articles/BestPractice.html> [accessed Sept. 15, 2006].
- Glover, K.M., K.R Hardy, T.G. Konrad, W.N. Sullivan, and A.S. Michaels. 1966. Radar observations of insects in free flight. *Science* 154(3752):967-972.
- Goldberg, M., K. Sinclair, and M. Milligan. 2004. Job and Economic Development Impact (JEDI) Model: A User-Friendly Tool to Calculate Economic Impacts from Wind Projects. NREL/CP-500-35953. National Renewable Energy Laboratory, Golden, CO. March 2004 [online]. Available: [http://www.eere.energy.gov/windandhydro/windpoweringamerica/pdfs/35953\\_jedi.pdf](http://www.eere.energy.gov/windandhydro/windpoweringamerica/pdfs/35953_jedi.pdf) [accessed Sept. 6, 2006].
- Goosem, M. 1997. Internal fragmentation: The effects of roads, highways, and power line clearings on movements and mortality of rainforest vertebrates. Pp. 241-255 in *Tropical Forest Remnants: Ecology, Management, and Conservation of Fragmented Communities*, W.F. Laurance, and R.O. Bierregaard, eds. Chicago IL: University of Chicago Press.
- Gow, G. 2003. An adaptable approach to short-term wind forecasting. [online]. Available: [http://www.awea.org/policy/regulatory\\_policy/transmission\\_documents/System\\_Operations/2003\\_Gow\\_Forecasting%20Overview.pdf](http://www.awea.org/policy/regulatory_policy/transmission_documents/System_Operations/2003_Gow_Forecasting%20Overview.pdf) [accessed April 23, 2007].
- Graber, R.R. 1968. Nocturnal migration in Illinois – different points of view. *Wilson Bull.* 80(1):36-71.
- Graber, R.R., and W.W. Cochran. 1959. An audio technique for the study of nocturnal migration of birds. *Wilson Bull.* 71(3):220-236.
- Graber, R.R., and S.S. Hassler. 1962. The effectiveness of aircraft-type (APS) radar in detecting birds. *Wilson Bull.* 74(4):367-380.
- Grady, D. 2004. Public Attitudes Toward Wind Energy in Western and Eastern North Carolina: A Systematic Survey. *Efficient North Carolina Conference, Boone, NC, March 4, 2004* [online]. Available: [http://www.energy.appstate.edu/docs/wnc\\_enc\\_present.pdf](http://www.energy.appstate.edu/docs/wnc_enc_present.pdf) [accessed Oct. 17, 2006].
- Gramling, R., and W.R. Freudenburg. 1992. Opportunity-threat, development, and adaptation: Toward a comprehensive framework for social impact assessment. *Rural Sociol.* 57(2): 216-234.
- Green, N.B., and T.K. Pauley. 1987. *Amphibians and Reptiles in West Virginia*. Pittsburgh, PA: University of Pittsburgh Press.
- Green, R.H. 1979. *Sampling Design and Statistical Methods for Environmental Biologists*. New York: Wiley.
- Greenberg, C.H. 2001. Response of reptile and amphibian communities to canopy gaps created by wind disturbance in the southern Appalachians. *Forest Ecol. Manage.* 148(1-3):135-144.

- Greenhall, A.M., and J.L. Paradiso. 1968. Bats and Bat Banding. Resource Pub. 72. Washington, DC: U.S. Department of the Interior, Fish and Wildlife Service, Bureau of Sports Fisheries and Wildlife.
- Greenlaw, J.S., and J. Swinebroad. 1967. A method for constructing and erecting aerial-nets in a forest. *J. Field Ornithol.* 38(2):114-119.
- Griffin, D.R. 1958. Listening in the Dark: The Acoustic Orientation of Bats and Men. New Haven: Yale University Press.
- Griffin, D.R. 1970. Migrations and homing of bats. Pp. 233-264 in *Biology of Bats*, Vol. II, W.A. Wimsatt, ed. New York: Academic Press.
- Griffin, D.R. 1971. The importance of atmospheric attenuation for the echolocation of bats (*Chiroptera*). *Anim. Behav.* 19(1):55-61.
- Griffin, D.R. 1972. Nocturnal bird migration in opaque clouds. Pp. 169-188 in *Animal Orientation and Navigation*, S.R. Galler, K. Schmidt-Koenig, G.J. Jacobs, and R.E. Belleville, eds. NASA SP-262. Washington, DC: National Aeronautics and Space Administration.
- Griffin, D.R. 2004. The past, and future of bat detectors. Pp. 6-9 in *Bat Echolocation Research: Tools, Techniques, and Analysis*, R.M. Brigham, E.K.V. Kalko, G. Jones, S. Parsons, and H.J.G.A. Limpens, eds. Austin, TX: Bat Conservation International.
- Griffin, D.R., F.A. Webster, and C.R. Michael. 1960. The echolocation of flying insects by bats. *Anim. Behav.* 8(3-4):141-154.
- Grindal, S.D., and R.M. Brigham. 1998. Short term effects of small-scale habitat disturbance on activity by insectivorous bats. *J. Wildl. Manage.* 62(3):996-1003.
- Grindal, S.D., and R.M. Brigham. 1999. Impacts of forest harvesting on habitat use by foraging insectivorous bats at different spatial scales. *Ecoscience* 6(1):25-34.
- Gruver, J.C. 2002. Assessment of Bat Community Structure and Roosting Habitat Preferences for the Hoary Bat (*Lasiurus cinereus*) Near Foote Creek Rim, Wyoming. M.S. Thesis, University of Wyoming, Laramie, WY.
- Gumbert, M.W., J.M. O'Keefe, and J.R. MacGregor. 2002. Roost fidelity in Kentucky. Pp. 143-152 in *The Indiana Bat: Biology and Management of an Endangered Species*, A. Kurta, and J. Kennedy, eds. Austin, TX: Bat Conservation International.
- GWEC (Global Wind Energy Council). 2006. Global Wind 2005 Report [online]. Available: [http://www.gwec.net/fileadmin/documents/Publications/GWEC-Global\\_Wind\\_05\\_Report\\_low\\_res\\_01.pdf](http://www.gwec.net/fileadmin/documents/Publications/GWEC-Global_Wind_05_Report_low_res_01.pdf) [accessed Dec. 18, 2006].
- Hagan, J.M., and A.L. Meehan. 2002. The effectiveness of stand-level and landscape-level variables for explaining bird occurrence in an industrial forest. *For. Sci.* 48(2):231-242.
- Hagler Bailly Consulting, Inc. 1995. The New York State Externalities Cost Study. Oceana Publications, Dobbs Ferry, N.Y.
- Hairston, N.G. 1987. *Community Ecology and Salamander Guilds*. Cambridge: Cambridge University Press.
- Hall, G.A. 1983. *West Virginia Birds*. Publication No. 7. Pittsburgh, PA: Carnegie Museum of Natural History.
- Hamilton III, W.J. 1962. Evidence concerning the function of nocturnal call notes of migratory birds. *Condor* 64(5):390-401.
- Hammond, J., R. Keeney, and H. Raiffa. 2002. *Smart Choices: A Practical Guide to Making Better Decisions*. Boston, MA: Harvard Business School Press.
- Harmata, A.R., K.M. Podruzny, J.R. Zelenak, and M.L. Morrison. 1999. Using marine surveillance radar to study bird movements and impact assessment. *Wildl. Soc. Bull.* 27(1):44-52.
- Harmata, A.R., G.R. Leighty, and E.L. O'Neil. 2003. A vehicle-mounted radar for dual-purpose monitoring of birds. *Wildl. Soc. Bull.* 31(3):882-886.
- Hassinger, J. D., 2005. Conservation Management Plan for *Neotoma magister*. State Wildlife Grant Final Report. Pennsylvania Game Commission, Harrisburg, Pennsylvania, USA.
- Hassinger, J. D., C. M. Butchkoski, and D. R. Diefenbach 2005. Conservation Management Plan for *Neotoma magister*. State Wildlife Grant; progress report. Pennsylvania Game Commission, Harrisburg, Pennsylvania, USA.
- Haskell, D.G. 2000. Effects of forest roads on macroinvertebrate soil fauna of the southern Appalachian Mountains. *Conserv. Biol.* 14(1):57-63.
- Hathaway, A, D. Jacobsen, and C. High. 2005. Model State Implementation Plan (SIP) Documentation for Wind Energy Purchase in States with Renewable Energy Set-Aside. Subcontract Report NREL/SR-500-38075. National Renewable Energy Laboratory, Golden, CO. May 2005 [online]. Available: <http://www.nrel.gov/docs/fy05osti/38075.pdf> [accessed Sept. 20, 2006].

- Hawrot, R.Y., and J.M. Hanowski. 1997. Avian Assessment Document: Avian Population Analysis for Wind Power Generation Regions—012. NRRI/TR-97-23. Center for Water and the Environment, Natural Resources Research Institute, Duluth, MN. 14pp.
- Hayes, J.P. 1997. Temporal variation in activity of bats and the design of echolocation-monitoring studies. *J. Mammal.* 78(2):514-524.
- Hayes, J.P. 2000. Assumptions and practical considerations in the design and interpretation of echolocation-monitoring studies. *Acta Chiropterologica* 2(2):225-236.
- Hayes, J.P. 2003. Habitat ecology and conservation of bats in western coniferous forests. Pp. 81-119 in *Mammal Community Dynamics: Management and Conservation in the Coniferous Forests of Western North America*, C.J. Zabel, and R.G. Anthony, eds. Cambridge: Cambridge University Press.
- Hayes, J.P., and J.C. Gruver. 2000. Vertical stratification of bat activity in an old-growth forest in western Washington. *Northwest Sci.* 74(2):102-108.
- Hayes, J.P., and S. Loeb. 2007. The influences of forest management on bats in North America. Pp. ? in *Bats in Forests: Conservation and Management*, M.J. Lacki, J.P. Hayes, and A. Kurta, eds. Baltimore, MD: John Hopkins University Press.
- Hecklau, J. 2005. Visual characteristics of wind turbines. Proceedings of NWCC Technical Meeting, December 2005.
- Hedges, L.V. 1986. Statistical issues in the meta-analysis of environmental studies. Pp. 261-283 in 1986 Proceedings of Biopharmaceutical Section: The Annual Meeting of the American Statistical Association, August 15-18, 1986, Chicago, IL. Washington, DC: American Statistical Association.
- Hedges, L.V., and I. Olkin. 1985. *Statistical Methods for Meta-Analysis*. Orlando, FL: Academic Press.
- Hendrickson, C.T., A. Horvath, S. Joshi, and L.B. Lave. 1998. Economic input-output models for environmental life-cycle assessment. *Environ. Sci. Technol.* 32(7):184A-191A.
- Hendrickson, C.T., L.B. Lave, and H.S. Matthews, eds. 2006. *Environmental Life Cycle Assessment of Goods and Services: An Input-Output Approach*. Washington, DC: Resources for the Future.
- Hensen, F. 2004. Thought and working hypotheses on the bat compatibility of wind energy plants [in German]. *Nyctalus* 9(5):427-436.
- HIDLNR (Hawaii Department of Land and Natural Resources). 2006. Federal and State Governments Approve Conservation Plan for Maui Wind Farm. News Release: February 8, 2006 [online]. Available: <http://www.hawaii.gov/dlnr/chair/pio/HtmlNR/06-N021.htm> [accessed Sept. 13, 2006].
- High, C.J., and K.M. Hathaway. 2006. Avoided Air Emissions from Electric Power Generation at Three Potential Wind Energy Projects in Virginia. Resource Systems Group, Inc., White River Junction, VT. July 5, 2006 [online]. Available: <http://www.chesapeakeclimate.org/doc/VA-Wind%20Report.doc> [accessed Sept. 20, 2006].
- Hill, S.B., and D.H. Clayton. 1985. *Wildlife After Dark: A Review of Nocturnal Observation Techniques*. Occasional Papers 17. Minneapolis, MN: James Ford Bell Museum of Natural History, University of Minnesota.
- Hobson, K.A. 1999. Tracing origins and migration of wildlife using stable isotopes: A review. *Oecologia* 120(3):314-326.
- Hobson, K.A., and L.I. Wassenaar. 2001. Isotopic delineation of North American migratory wildlife population: Loggerhead shrikes. *Ecol. Appl.* 11(5):1545-1553.
- Hodgkison, R., D. Ahmad, S. Balding, T. Kingston, A. Zubaid, and T.H. Kunz. 2002. Capturing bats (*Chiroptera*) in tropical forest canopies. Pp. 160-167 in *The Global Canopy Programme Handbook: Techniques of Access and Study in the Forest Roof*, A.W. Mitchell, K. Secoy, and T. Jackson, eds. Oxford, UK: Global Canopy Programme.
- Hodos, W. 2003. Minimization of Motion Smear: Reducing Avian Collisions with Wind Turbines, Period of Performance: July 12, 1999-August 31, 2002. NREL/SR-500-33249. Prepared for the National Renewable Energy Laboratory, Golden, CO. August 2003 [online]. Available: <http://www.nrel.gov/docs/fy03osti/33249.pdf> [accessed June 2, 2006].
- Hoen, B. Impacts of windmills visibility on property values in Madison County, New York. Master's Thesis, Bard College, Annandale-on-Hudson, NY.
- Hogberg, L.K., K.J. Patriquin, and R.M.R. Barclay. 2002. Use by bats of patches of residual trees in logged areas of the boreal forest. *Am. Midl. Nat.* 148(2):282-288.
- Hoover, S.L., and M.L. Morrison. 2005. Behavior of red-tailed hawks in a wind turbine development. *J. Wildlife Management* 69:150-159.

- Hoppe-Kilpper, M., and U. Steinhauser. 2002. Wind landscapes in the German Milieu. Pp. 94-96 in *Wind Power in View: Energy Landscapes in a Crowded World*, M.J. Pasqualetti, P. Gipe, and R.W. Righter, eds. San Diego: Academic Press.
- Horn, J., and E.B. Arnett. 2005. Timing of nightly bat activity with wind turbine blades. Pp. 96-116 in *Relationships Between Bats and Wind Turbines in Pennsylvania and West Virginia: An Assessment of Fatality Search Protocols, Patterns of Fatality, and Behavioral Interactions with Wind Turbines*, E.B. Arnett, W.P. Erickson, J. Kerns, and J. Horn, eds. Final Report. Prepared for the Bats and Wind Energy Cooperative, by Bat Conservation International, Austin, TX. June 2005 [online]. Available: <http://www.batcon.org/wind/BWEC2004finalreport.pdf> [accessed May 25, 2006].
- Horn, J.S., E.B. Arnett, and T.H. Kunz. In Prep. Nightly activity of bats near wind turbines revealed by infrared thermal imaging. *Ecological Applications*.
- Hötker, H., K.M. Thomsen, and H. Köster. 2004. Auswirkungen regenerativer Energiegewinnung auf die biologische Vielfalt am Beispiel der Vögel und der Fledermäuse--Fakten, Wissenslücken, Anforderungen an die Forschung, ornithologische Kriterien zum Ausbau von regenerativen Energiegewinnungsformen. Gefördert vom Bundesamt für Naturschutz; Förd. Nr. Z1.3-684 11-5/03. Michael-Otto-Institut, NABU, Bonn. December 2004 [online]. Available: [http://www.wind-energie.de/fileadmin/dokumente/Themen\\_A-Z/Vogelschutz/Studie\\_nabu\\_VoegelRegEnergien.pdf](http://www.wind-energie.de/fileadmin/dokumente/Themen_A-Z/Vogelschutz/Studie_nabu_VoegelRegEnergien.pdf) [accessed May 26, 2006].
- Howe, R.W., T.C. Erdman, and K.D. Kruse. 1995. Potential Avian Mortality at Wind Generation Towers in Southeastern Brown County. Richter Museum Special Report No. 4. University of Wisconsin-Green Bay.
- Howe, R.W., W. Evans, and A.T. Wolf. 2002. Effects of Wind Turbines on Birds and Bats in Northeastern Wisconsin. Prepared by University of Wisconsin-Green Bay, for Wisconsin Public Service Corporation and Madison Gas and Electric Company, Madison, WI. November 21, 2002 [online]. Available: [http://psc.wi.gov/apps/erf\\_share/view/viewdoc.aspx?docid=35200](http://psc.wi.gov/apps/erf_share/view/viewdoc.aspx?docid=35200) [accessed May 23, 2006].
- Howell, J.A. 1995. Remote Sensing of Wildlife Habitat for Inventory and Long Term Monitoring: A California Perspective. Conference for Remote Sensing and Environmental Monitoring for the Sustained Development of the Americas, March 1995, San Juan, Puerto Rico.
- Howell, J.A. 1997. Bird mortality at rotor swept area equivalents, Altamont Pass and Montezuma Hills, California. *T. Western Sec. Wildl. Soc.* 33:24-29.
- Howell, J.A., and J. Noone. 1992. Examination of Avian Use and Mortality at a U.S. Windpower, Wind Energy Development Site, Montezuma Hills, Solano County, California: Final Report. Fairfield, CA: Solano County, Department of Environmental Management. 41pp.
- Howell, J.C., A.R. Laskey, and J.T. Tanner. 1954. Bird mortality at airport ceilometers. *Wilson Bull.* 66(3):207-215.
- Hoying, K.M., and T.H. Kunz. 1998. Variation in size at birth and post-natal growth in the insectivorous bat *Pipistrellus subflavus* (Chiroptera: Vespertilionidae). *J. Zool.* 245(1):15-27.
- Humphrey, S.R. 1975. Nursery roosts and community diversity of Nearctic bats. *J. Mammal.* 56(2):321-346.
- Humphrey, S.R., A.R. Richter, and J.B. Cope. 1977. Summer habitat and ecology of the endangered Indiana bat, *Myotis sodalis*. *J. Mammal.* 58(3):334-346.
- Hunt, G. and T. Hunt. 2006. The trend of golden eagle territory occupancy in the vicinity of the Altamont Pass Wind Resource Area: 2005 survey. Pier Final Project Report, CEC-500-2006-056. 17pp.
- Hunt, W.G. 2002. Golden Eagles in a Perilous Landscape: Predicting the Effects of Mitigation for Wind Turbine Blade-Strike Mortality. Consultant Report. P500-97-4033F. Prepared for California Energy Commission, Public Interest Energy Research, Sacramento, CA, by University of California, Santa Cruz, CA. July 2002 [online]. Available: [http://www.energy.ca.gov/reports/2002-11-04\\_500-02-043F.PDF](http://www.energy.ca.gov/reports/2002-11-04_500-02-043F.PDF) [accessed May 24, 2006].
- Hüppop, O., J. Dierschke, K.M. Exo, E. Fredrich, and R. Hill. 2006. Bird migration studies and potential collision risk with offshore wind turbines. *Ibis* 148(1):90-109.
- Hutchinson, J.T., and M.J. Lacki. 2001. Possible microclimate benefits of roost site selection in the red bat, *Lasiurus borealis*, in mixed mesophytic forests of Kentucky. *Can. Field Nat.* 115(2):205-209.
- IEA (International Energy Agency). 2006. Energy Policies of IEA Countries: Denmark 2006 Review. Paris: International Energy Agency, Organization for Economic Co-operation and Development.
- IEC (International Electrotechnical Commission). 2002. Wind Turbine Generator Systems-Part 11: Acoustic Noise Measurement Techniques. International Standard IEC 61400-11, 2nd Ed., 2002-12. International Electrotechnical Commission, Geneva.

- Ihle, J. 2005. Renewable Power Outlook 2005. RPS-7. Platts Renewable Power Service. February 2005 [online]. Available: [http://www.esource.com/members/prc\\_rps/pdf/rps7.pdf](http://www.esource.com/members/prc_rps/pdf/rps7.pdf) [accessed Sept. 7, 2006].
- ISO New England Inc. 2006. 2004 New England Marginal Emission Rate Analysis. Draft February 28, 2006 [online]. Available: [http://www.iso-ne.com/committees/comm\\_wkgrps/relblty\\_comm/pwrsuppln\\_comm/mtrls/2006/mar162006/02282006\\_draft2004mea.pdf](http://www.iso-ne.com/committees/comm_wkgrps/relblty_comm/pwrsuppln_comm/mtrls/2006/mar162006/02282006_draft2004mea.pdf) [accessed Aug. 17, 2006].
- Jacques Whitford Limited. 2005. An Investigation of a New Monitoring Technology for Birds and Bats. Jacques Whitford Project No. ONT50563. Prepared for Suncor Energy Products, Inc., Vision Quest Windelectric-TransAlta's Wind Business, Canadian Hydro Developer's, Inc, and Enbridge Inc., by Jacques Whitford Limited, Markham, Ontario. August 2005 [online]. Available: <http://www.mgwindpower.info/EchoTrack%20Final%20Report.pdf> [accessed Sept. 27, 2006].
- Jain, A.A. 2005. Bird and Bat Behavior and Mortality at a Northern Iowa Windfarm. M.S. Thesis, Iowa State University, Ames, IA. 107pp.
- Johnson, G.D. 2005. A review of bat mortality at wind-energy developments in the United States. *Bat Research News* 46(2):45-49.
- Johnson, G.D., D.P. Young, Jr., W.P. Erickson, C.E. Derby, M.D. Strickland, R.E. Good, and J.W. Kern. 2000a. Wildlife Monitoring Studies: SeaWest Windpower Project, Carbon County, Wyoming, 1995-1999. Final report. Prepared by WEST, Inc., Cheyenne, WY, for SeaWest Energy Corporation, San Diego, CA, and Bureau of Land Management, Rawlins District Office, Rawlins, WY. August 9, 2000 [online]. Available: [http://www.west-inc.com/reports/fcr\\_final\\_baseline.pdf](http://www.west-inc.com/reports/fcr_final_baseline.pdf) [accessed May 24, 2006].
- Johnson, G.D., W.P. Erickson, M.D. Strickland, M.F. Shepherd, and D.A. Shepherd. 2000b. Avian Monitoring Studies at the Buffalo Ridge, Minnesota Wind Resource Area: Results of a 4-Year Study. Prepared by WEST, Inc., Cheyenne, WY, for Northern States Power Company, Minneapolis, MN. September 22, 2000 [online]. Available: [http://www.west-inc.com/reports/avian\\_buffalo\\_ridge.pdf](http://www.west-inc.com/reports/avian_buffalo_ridge.pdf) [accessed May 24, 2006].
- Johnson, G.D., D.P. Young, W.P. Erickson, M.D. Strickland, R.E. Good, and P. Becker. 2001. Avian and Bat Mortality Associated with the Initial Phase of the Foote Creek Rim Windpower Project, Carbon County, Wyoming: November 3, 1998-October 31, 2000. Prepared for SeaWest Windpower, Inc., San Diego, CA, and Bureau of Land Management, Rawlins District Office, Rawlins, WY, by Western EcoSystems Technology, Inc., Cheyenne, WY. 32pp.
- Johnson, G.D., W.P. Erickson, M.D. Strickland, M.F. Shepherd, D.A. Shepherd, and S.A. Sarappo. 2002. Collision mortality of local and migrant birds at a large-scale wind power development on Buffalo Ridge, Minnesota. *Wildl. Soc. Bull.* 30(3):879-887.
- Johnson, G.D., W.P. Erickson, M.D. Strickland, M.F. Shepherd, and S.A. Sarappo. 2003a. Mortality of bats at a large-scale wind power development at Buffalo Ridge, Minnesota. *Am. Midl. Nat.* 150(2):332-342.
- Johnson, G.D., W.P. Erickson, J. White, and R. McKinney. 2003b. Avian and Bat Mortality During the First Year of Operation at the Klondike Phase I Wind Project, Sherman County, Oregon. Prepared by WEST, Inc., Cheyenne, WY, for Northwestern Wind Power, Goldendale, WA. March 2003 [online]. Available: [http://www.west-inc.com/reports/klondike\\_final\\_mortality.pdf](http://www.west-inc.com/reports/klondike_final_mortality.pdf) [accessed May 24, 2006].
- Johnson, G.D., M.K. Perlik, W.P. Erickson, and M.D. Strickland. 2004. Bat activity, composition and collision mortality at a large wind plant in Minnesota. *Wildl. Soc. Bull.* 32(4):1278-1288.
- Johnston, L., E. Hausman, A. Sommer, B. Biewald, T. Wolf, D. Schlissel, A. Roschelle, and D. White. 2006. Climate Change and Power: Carbon Dioxide Emissions Costs and Electricity Resource Planning. Synapse Energy Economics, Cambridge, MA. June 8, 2006 [online]. Available: <http://www.synapse-energy.com/Downloads/SynapsePaper.2006-06.Climate-Change-and-Power.pdf> [accessed Sept. 21, 2006].
- Jones, G., and K.E. Barlow. 2004. Cryptic species of echolocating bats. Pp. 345-349 in *Echolocation in Bats and Dolphins*, J.A. Thomas, C.F. Moss, and M. Vater, eds. Chicago: University of Chicago Press.
- Jones, G., N. Vaughan, D. Russo, L.P. Wickramasinghe, and S. Harris. 2004. Designing bat activity surveys using time expansion and direct sampling of ultrasound. Pp. 83-89 in *Bat Echolocation Research: Tools, Techniques, and Analysis*, R.M. Brigham, E.K.V. Kalko, G. Jones, S. Parsons, and H.J.G.A. Limpens, eds. Austin, TX: Bat Conservation International.
- Jones, K., A. Purvis, and J. Gittleman. 2003. Biological correlates of extinction risks in bats. *Am. Nat.* 161:601-614.
- Kalcounis, M.C., K.A. Hobson, R.M. Brigham, and K.R. Hecker. 1999. Bat activity in the boreal forest: Importance of stand type and vertical strata. *J. Mammal.* 80(2):673-682.

- Kalko, E.K.V. 2004. Neotropical leaf-nosed bats (Phyllostomidae): "Whispering" bats or candidates for acoustic survey? Pp. 63-69 in Proceedings of a Workshop on Identification and Acoustic Monitoring of Bats, M. Brigham, G. Jones, and E.K.V. Kalko, eds. Austin, TX: Bat Conservation International.
- Kansas Renewable Energy Working Group. 2003. Siting Guidelines for Wind Power Projects in Kansas. Kansas Renewable Energy Working Group Environmental and Siting Committee. January 22, 2003 [online]. Available: [http://www.naseo.org/committees/energyproduction/documents/wind/kansas\\_siting\\_guidelines.pdf](http://www.naseo.org/committees/energyproduction/documents/wind/kansas_siting_guidelines.pdf) [accessed Sept. 12, 2006]
- Kaplan, S., and B.J. Garrick. 1981. On the quantitative definition of risk. *Risk Anal.* 1(1):11-27.
- Kapos, V., E. Wandelli, J.L. Camargo, and G. Ganade. 1997. Edge-related changes in environment and plant responses due to forest fragmentation in central Amazonia. Pp. 33-44 in *Tropical Forest Remnants: Ecology, Management, and Conservation of Fragmented Communities*, W.F. Laurance, and R.O. Bierregaard, eds. Chicago IL: University of Chicago Press.
- Karlsson, J. 1983. Interactions between Birds and Aerogenerators: Result Report 1977-1982 [in Swedish]. Lund, Sweden: Lund University.
- KEC (Kansas Energy Council). 2004. Guidelines and Standards for the Siting of Wind-energy Development in Kansas and the Flint Hills, August 30, 2004 [online]. Available: [http://www.kansasenergy.org/KEC/SitingGuidelines\(KEC\).pdf](http://www.kansasenergy.org/KEC/SitingGuidelines(KEC).pdf) [accessed Sept. 18, 2006].
- Keith, G., D. White, and B. Biewald. 2002. The OTC Emission Reduction Workbook 2.1 Description and User's Manual. Prepared for the Ozone Transport Commission, by Synapse Energy Economics, Inc., Cambridge, MA. October 15, 2002 [online]. Available: [www.otcair.org/download.asp?FID=69&Fcat=Documents&Fview=Reports&Ffile=Workbook%202.1%20Manual.pdf](http://www.otcair.org/download.asp?FID=69&Fcat=Documents&Fview=Reports&Ffile=Workbook%202.1%20Manual.pdf) [accessed Sept. 20, 2006].
- Keith, G., B. Biewald, A. Sommer, P. Henn, and M. Breceda. 2003. Estimating the Emission Reduction Benefits of Renewable Electricity and Energy Efficiency in North America: Experience and Methods. Prepared for the Commission for Environmental Cooperation. September 22, 2003 [online]. Available: <http://www.synapse-energy.com/Downloads/SynapseReport.2003-09.CEC.Emission-Reduction-Benefits-Renewables-and-EE-Estimates.03-18.pdf> [accessed Sept. 21, 2006].
- Keith, G., B. Biewald, and D. White. 2004. Evaluating Simplified Methods of Estimating Displaced Emissions in Electric Power Systems: What Works and What Doesn't. Prepared for the Commission for Environmental Cooperation. November 4, 2006 [online]. Available: <http://www.synapse-energy.com/Downloads/SynapseReport.2004-11.CEC-Evaluating-Simplified-Methods-of-Estimating-Displaced-Emissions.04-62.pdf> [accessed Sept. 21, 2006].
- Kelly, J.F., and D.M. Finch. 1998. Tracking migrant songbirds with stable isotopes. *Trends Ecol. Evol.* 13(2):48-49.
- Kelly, J.F., V. Atudorei, Z.D. Sharp, and D.M. Finch. 2002. Insights into Wilson's Warbler migration from analyses of hydrogen stable-isotope ratios. *Oecologia* 130(2):216-221.
- Kelly, J.F., K.C. Ruegg, and T.B. Smith. 2005. Combining isotopic and genetic markers to identify breeding origins of migrant birds. *Ecol. Appl.* 15(5):1487-1494.
- Kempthorne, O. 1966. *The Design and Analysis of Experiments*. New York: John Wiley and Sons.
- Kerlinger, P. 1982. The migration of common loons through eastern New York, *Condor* 84:79-100.
- Kerlinger, P. 1995. *How Birds Migrate*, 1st Ed. Mechanicsburg, PA: Stackpole Books. 228 pp.
- Kerlinger, P. 1997. A Study of Avian Fatalities at the Green Mountain Power Corporation's Searsburg, Vermont, Windpower Facility 1997. Prepared for Vermont Department of Public Service, Green Mountain Power Corporation, National Renewable Energy Laboratory and Vermont Environmental Research Associates. 12pp.
- Kerlinger, P. 2000. Avian Mortality at Communication Towers: A Review of Recent Literature, Research, and Methodology. Prepared for U.S. Fish and Wildlife Service, Office of Migratory Bird Management, by Curry & Kerlinger LLC, Cape May Point, NJ. March 2000 [online]. Available: [http://training.fws.gov/library/Pubs9/avian\\_mortality00.pdf](http://training.fws.gov/library/Pubs9/avian_mortality00.pdf) [accessed May 22, 2006].
- Kerlinger, P. 2002. An Assessment of the Impacts of Green Mountain Power Corporation's Wind Power Facility on Breeding and Migrating Birds in Searsburg, Vermont: July 1996-July 1998. NREL/SR-500-28591. Prepared for Vermont Public Service, Montpelier, VT. U.S. Department of Energy--National Renewable Energy Laboratory, Golden, CO. March 2002 [online]. Available: <http://www.nrel.gov/docs/fy02osti/28591.pdf> [accessed July 14, 2006].

- Kerlinger, P., and J. Dowdell. 2003. Breeding Bird Survey for the Flat Rock Wind Power Project, Lewis County, New York. Prepared for Atlantic Renewable Energy Corporation.
- Kerlinger, P., and J. Kerns. 2003. FAA Lighting of Wind Turbines and Bird Collisions. Presentation at the National Wind Coordinating Committee—Wildlife Working Group Meeting: How Is Biological Significance Determined When Assessing Possible Impacts? November 17-18, 2003, Washington, DC [online]. Available: <http://www.nationalwind.org/events/wildlife/2003-2/presentations/Kerlinger.pdf> [accessed June 14, 2006].
- Kerlinger, P., and F.R. Moore. 1989. Atmospheric structure and avian migration. Pp. 109–141 in *Current Ornithology*, Vol. 6, D.M. Power, ed. New York: Plenum Press.
- Kerlinger, P., R. Curry, L. Culp, A. Jain, C. Wilkerson, B. Fischer, and A. Hasch. 2006. Post-Construction Avian and Bat Fatality Monitoring Study for the High Winds Wind Power Project Solano County, California: Two Year Report. Prepared for FPL Energy, High Winds LLC, by Curry and Kerlinger, LLC, Cape May Point, NJ.
- Kerlinger, P., and S.A. Gauthreaux, Jr. 1985. Flight behavior of raptors during spring migration in south Texas studied with radar and direct visual observations. *J. field Ornithology* 56(4):397-402.
- Kerns, J., and P. Kerlinger. 2004. A Study of Bird and Bat Collision Fatalities at the Mountaineer Wind Energy Center, Tucker County, West Virginia: Annual Report for 2003. Prepared for FPL Energy and Mountaineer Wind Energy Center Technical Review Committee. February 14, 2004 [online]. Available: <http://www.responsiblewind.org/docs/MountaineerFinalAvianRpt3-15-04PKJK.pdf> [accessed May 22, 2006].
- Kerns, J., W.P. Erickson, and E.B. Arnett. 2005. Bat and bird fatality at wind energy facilities in Pennsylvania and West Virginia. Pp. 24-95 in *Relationships Between Bats and Wind Turbines in Pennsylvania and West Virginia: An Assessment of Fatality Search Protocols, Patterns of Fatality, and Behavioral Interactions with Wind Turbines*, E.B. Arnett, W.P. Erickson, J. Kerns, and J. Horn, eds. Final Report. Prepared for the Bats and Wind Energy Cooperative, by Bat Conservation International, Austin, TX. June 2005 [online]. Available: <http://www.batcon.org/wind/BWEC2004finalreport.pdf> [accessed May 25, 2006].
- Kirby Mountain. 2006. Model Large Wind Energy Ordinance. Kirby Mountain, June 07, 2006 [online]. Available: [http://kirbymtn.blogspot.com/2006\\_06\\_01\\_kirbymtn\\_archive.html](http://kirbymtn.blogspot.com/2006_06_01_kirbymtn_archive.html) [accessed Sept. 14, 2006].
- Klazura, G.E., and D.A. Imy. 1993. A description of the initial set of analysis products available from the NEXRAD WSR-88D System. *Bull. Am. Meteorol. Soc.* 74(7):1293-1311.
- Knapp, S.M., C.A. Haas, D.G. Harpole, and R.L. Kirkpatrick. 2003. Initial effects of clearcutting and alternative silvicultural practices on terrestrial salamander abundance. *Conserv. Biol.* 17(3):752-762.
- Knust, R., P. Dalhoff, J. Gabriel, J. Heuers, O. Hüppop, and H. Wendeln. 2003. Investigations to Avoid and Reduce Possible Impacts of Wind Energy Parks on the Marine Environment in the Offshore Areas of North and Baltic Sea. Final Report. Alfred-Wegener-Institut für Polar- und Meeresforschung, Bremerhaven, and Umweltbundesamt, Berlin. March 15, 2003 [online]. Available: <http://www.umweltdaten.de/publikationen/fpdf-l/2686.pdf> [accessed June 14, 2006].
- Koford, R, A. Jain, G. Zenner, and A. Hancock. 2004. Avian Mortality Associated with the Top of Iowa Wind Farm. Progress Report: Calendar Year 2003. Iowa State University, Ames, IA. February 28, 2004 [online]. Available: <http://www.ohiowind.org/ohiowind/page.cfm?pageID=2011> [accessed May 24, 2006].
- Kragh, J., D. Theofiloyiannakos, H. Klug, T. Osten, B. Andersen, N. van der Borg, S. Ljunggren, O. Fegeant, R.J. Whitson, J. Bass, D. Englich, C. Eichenlaub, and R. Weber. 1999. Noise Immission from Wind Turbines. Contractor Report No. ETSU W/13/00503/REP. National Engineering Laboratory [online]. Available: <http://www.greatplacetowork.gov.uk/renewables/publications/pdfs/W1300503.pdf> [accessed Dec. 19, 2006].
- Krebs, C.J. 1989. *Ecological Methodology*. New York: Harper & Row.
- Krusic, R.A., M. Yamasaki, C.D. Neefus, and P.J. Pekins. 1996. Bat habitat use in White Mountain National Forest. *J. Wildl. Manage.* 60(3):625-631.
- Kunz, T.H. 1982a. *Lasionycteris noctivagans*. *Mammalian Species* 173:1-5.
- Kunz, T.H., ed. 1982b. *Ecology of Bats*. New York: Plenum Press.
- Kunz, T.H. 1982c. Roosting ecology of bats. Pp. 1-55 in *Ecology of Bats*, T.H. Kunz, ed. New York: Plenum Press.
- Kunz, T.H., ed. 1988. *Ecological and Behavioral Methods for the Study of Bats*. Washington, DC: Smithsonian Institution Press. 533 pp.

- Kunz, T.H. 2003. Censusing bats: Challenges, solutions, and sampling biases. Pp. 9-20 in Monitoring Trends in Bat Populations of the United States and Territories: Problems and Prospects, T.J. O'Shea, and M.A. Bogan, eds. Biological Resources Discipline, Information and Technology Report USGS/BRD/ITR-2003-003. U.S. Geological Survey [online]. Available: <http://www.fort.usgs.gov/products/publications/21329/21329.pdf> [accessed June 9, 2006].
- Kunz, T.H. 2004. Foraging habits of North American insectivorous bats. Pp. 13-25 in Bat Echolocation Research: Tools, Techniques, and Analysis, R.M. Brigham, E.K.V. Kalko, G. Jones, S. Parsons, and H.J.G.A. Limpens, eds. Austin, TX: Bat Conservation International.
- Kunz, T.H., and A. Kurta. 1988. Methods of capturing and holding bats. Pp. 1-30 in Ecological and Behavioral Methods for the Study of Bats, T.H. Kunz, ed. Washington, DC: Smithsonian Institution Press.
- Kunz, T.H., and L.F. Lumsden. 2003. Ecology of cavity and foliage roosting bats. Pp. 3-89 in Bat Ecology, T.H. Kunz, and M.B. Fenton, eds. Chicago: University of Chicago Press.
- Kunz, T.H., G.R. Richards, and C.R. Tidemann. 1996. Capturing small volant mammals. Pp. 157-164 in Measuring and Monitoring Biological Diversity: Standard Methods for Mammals, D.E. Wilson, F.R. Cole, J.D. Nichols, R. Rudran, and M.S. Foster, eds. Washington, DC: Smithsonian Institution Press.
- Kunz, T.H., C.D. Wemmer, and V. Haysen. 1996. Sex, age, and reproductive condition of mammals. Pp. 279-290 in Measuring and Monitoring Biological Diversity: Standard Methods for Mammals, D.E. Wilson, F.R. Cole, J.D. Nichols, R. Rudran, and M.S. Foster, eds. Washington, DC: Smithsonian Institution Press.
- Kunz, T.H., E.B. Arnett, W.P. Erickson, A.R. Hoar, G.D. Johnson, R.P. Larkin, M.D. Strickland, R.W. Thresher, and M.D. Tuttle. In press a. Ecological impacts of wind energy development on bats: Questions, research needs and hypotheses. *Frontiers in Ecology and the Environment*.
- Kunz, T.H., and S. Parsons, eds. In press b. Ecological and Behavioral Methods for the Study of Bats, 2nd Ed. Baltimore: Johns Hopkins University Press.
- Kunz, T.H., R. Hodgkinson, and C. Weisse. In press c. Methods of Capturing and Holding Bats. In Ecological and Behavioral Methods for the Study of Bats, 2nd Ed., T.H. Kunz, and S. Parsons, eds. Baltimore: Johns Hopkins University Press.
- Kurta, A. 1982. Flight patterns of *Eptesicus fuscus* and *Myotis lucifugus* over a stream. *J. Mammal.* 63(2):335-337.
- Kurta, A., and J. Kennedy, eds. 2002. The Indiana Bat: Biology and Management of an Endangered Species. Austin, TX: Bat Conservation International.
- Kurta, A., K.J. Williams, and R. Mies. 1996. Ecological, behavioural, and thermal observations of a peripheral population of Indiana bats (*Myotis sodalis*). Pp. 102-117 in Bats and Forests Symposium, October 19-21, 1995, Victoria, British Columbia, Canada, R.M.R. Barclay, and R.M. Brigham, eds. Working Paper 23. Victoria, BC: British Columbia, Ministry of Forests Research Branch.
- Kurta, A., S.W. Murray, and D.H. Miller. 2002. Roost selection and movements across the summer landscape. Pp. 118-129 in The Indiana Bat: Biology and Management of an Endangered Species, A. Kurta, and J. Kennedy, eds. Austin, TX: Bat Conservation International.
- Laake, J.L. 1992. Catch-per-unit-effort models: An application to an elk population in Colorado. Pp. 44-55 in Wildlife 2001: Populations, D.R. McCullough and R.H. Barrett, eds. London: Elsevier Applied Science.
- Lack, D., and G.C. Varley. 1945. Detection of birds by radar. *Nature* 156:446.
- Lancia, R.A., W.L. Kendall, K.H. Pollock, and J.D. Nichols. 2005. Estimating the number of animals in wildlife populations. Pp. 106-133 in *Techniques for Wildlife Investigations and Management* (C.E. Braun, ed.). Sixth edition. The Wildlife Society, Bethesda, Maryland.
- Larkin, R.P. 1991. Flight speeds observed with radar, a correction: Slow 'birds' are insects. *Behav. Ecol. Sociobiol.* 29(3):221-224.
- Larkin, R.P. 2005a. Review of strengths, weaknesses, and application of tools. In Proceedings of the Onshore Wildlife Interactions with Wind developments: Research Meeting V. ed Susan Savitt Schwartz. Lansdowne, VA, November 3-4, 2004. Prepared for the Wildlife Subcommittee of the National Wind coordinating Committee by RESOLVE, Inc., Washington, DC, 120pp.
- Larkin, R.P. 2005b. Radar techniques for wildlife biology. Pp. 448-464 in *Techniques for Wildlife Investigations and Management*, 6th Ed., C.E. Braun, ed. Bethesda, MD: Wildlife Society.
- Larkin, R.P. 2006. Migrating bats interacting with wind turbines: What birds can tell us. *Bat Research News* 47(2):23-32
- Larkin, R.P., and B.A. Frase. 1988. Circular paths of birds flying near a broadcasting tower in cloud. *J. Comp. Psychol.* 102(1):90-93.

- Larkin, R.P., A. Raim, and R.H. Diehl. 1996. Performance of a non-rotating direction-finder for automatic radio tracking. *J. Field Ornithol.* 67(1):59-71.
- Larkin, R.P., W.R. Evans, and R.H. Diehl. 2002. Nocturnal flight calls of Dickcissels and Doppler radar echoes over south Texas in spring. *J. Field Ornithol.* 73(1):2-8.
- Larkin, R.P., B. Cooper, W.P. Erickson, J.P. Hayes, J. Horn, G. Jones, T.H. Kunz, D.S. Reynolds, and M.D. Strickland. In Prep. Ecological impacts of the wind power industry on bats: methods and research protocols (submitted to *Frontiers of Ecology and the Environment*)
- Larom, D. 2002. Auditory communication, meteorology, and the Umwelt. *J. Comp. Psychol.* 116(2):133-136.
- Larom, D., M. Garstang, K. Payne, R. Raspet, and M. Lindeque. 1997. The influence of surface atmospheric conditions on the range and area reached by animal vocalizations. *J. Exp. Biol.* 200(3):421-431.
- Larsen, J.K., and J. Madsen. 2000. Effects of wind turbines and other physical elements on field utilization by pink-footed geese (*Anser brachyrhynchus*): A landscape perspective. *Landscape Ecol.* 15(8):755-764.
- Larson, D.J., and J.P. Hayes. 2000. Variability in sensitivity of Anabat II detectors and a method of calibration. *Acta Chiropterol.* 2(2):209-213.
- Laurance, W.F. 1997. Hyper-disturbed parks: Edge effects and the ecology of isolated rainforest reserves in Tropical Australia. Pp. 71-84 in *Tropical Forest Remnants: Ecology, Management, and Conservation of Fragmented Communities*, W.F. Laurance, and R.O. Bierregaard, eds. Chicago IL: University of Chicago Press.
- Laurance, W.F., and M.A. Cochrane. 2001. Special section: Synergistic effects in fragmented landscapes. *Conserv. Biol.* 15(6):1488-1489.
- LaVal, R.K., and M.L. LaVal. 1980. *Ecological Studies and Management of Missouri Bats with Emphasis on Cave-Dwelling Species*. Terrestrial Series No. 8. Jefferson City, MO: Missouri Department of Conservation.
- Law, B.S., J. Anderson, and M. Chidel. 1999. Bat communities in a fragmented forest landscape on the south-west slopes of New South Wales, Australia. *Biol. Conserv.* 88(3):333-345.
- Lawrence, B.D., and J.A. Simmons. 1982. Measurements of atmospheric attenuation at ultrasonic frequencies and the significance for echolocation by bats. *J. Acoust. Soc. Am.* 71(3):585-590.
- Leddy, K.L., K.F. Higgins, and D.E. Naugle. 1999. Effects of wind turbines on upland nesting birds in Conservation Reserve Program grasslands. *Wilson Bull.* 111(1):100-104.
- Lee, R., A. Krupnick, D. Burtraw. 1995. Estimating externalities of electric fuel cycles: analytical methods and issues, estimating externalities of coal fuel cycles. McGraw-Hill/Utility Data Institute, Washington, D.C.
- Lenzen, M., and J. Munksgaard. 2002. Energy and CO<sub>2</sub> life-cycle analyses of wind turbines – review and applications. *Renew. Energ.* 26(3):339-362.
- Lewis, T. 1970. Patterns of distribution of insects near a windbreak of tall trees. *Ann. Appl. Biol.* 65:213-220.
- Liechti, F., B. Bruderer, and H. Parpoth. 1995. Quantification of nocturnal bird migration by moonwatching: Comparison with radar and infrared observations. *J. Field Ornithol.* 66(4):457-468.
- Liechti, F., P. Dieter, and S. Komenda-Zehnder. 2003. Nocturnal bird migration in Mauritania– first results. *J. Ornithol.* 144(4):445-450.
- Limpens, H.J.G.A., and K. Kapteyn. 1991. Bats, their behaviour and linear landscape elements. *Myotis* 29:63-71.
- Limpens, H.J.G.A., and G.F. McCracken. 2004. Choosing a bat detector: Theoretical and practical aspects. Pp. 28-37 in *Bat Echolocation Research: Tools, Techniques, and Analysis*, R.M. Brigham, E.K.V. Kalko, G. Jones, S. Parsons, and H.J.G.A. Limpens, eds. Austin, TX: Bat Conservation International.
- Lincoln, F.C., S.R. Peterson, and J.L. Zimmerman. 1998. Migration of Birds. Circular 16. U.S. Department of the Interior, U.S. Fish and Wildlife Service, Washington, DC [online]. Available: <http://www.npwrc.usgs.gov/resource/birds/migratio/migratio.htm> [accessed June 16, 2006].
- Link, W.A., and J.R. Sauer. 2002. A hierarchical analysis of population change with application to cerulean warblers. *Ecology* 83(10):2832-2840.
- Litton, Jr., R.B. 1979. Descriptive approaches to landscape analysis. Pp. 77-87 in *Proceedings of Our National Landscape: A Conference on Applied Techniques for Analysis and Management of the Visual Resource*, April 23-25, 1979, Incline Village, Nevada, G.H. Elsner, and R.C. Smardon, eds. General Technical Report PSW 35. U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station, Berkeley, CA.
- Lloyd, P., T.E. Martin, R.L. Redmond, U. Langner, and M.M. Hart. 2005. Linking demographic effects of habitat fragmentation across landscapes to continental source-Sink dynamics. *Ecol. Appl.* 15(5):1504-1514.

- Loeb, S.C., F.H. Tainter, and E. Cazares. 2000. Habitat associations of hypogeous fungi in the Southern Appalachians: Implications for the endangered northern flying squirrel (*Glaucomys sabrinus coloratus*). *Am. Midl. Nat.* 144(2):286-296.
- LoGiudice, K. 2003. Trophically transmitted parasites and the conservation of small populations: Raccoon roundworm and the imperiled Allegheny woodrat. *Conserv. Biol.* 17(1):258–266.
- Longcore, T., C. Rich, and S.A. Gauthreaux. 2005. Scientific Basis to Establish Policy Regulating Communications Towers to Protect Migratory Birds: Response to Avatar Environmental, LLC, Report Regarding Migratory Bird Collisions with Communications Towers, WT Docket No. 03-187, Federal Communications Commission Notice of Inquiry. Prepared for American Bird Conservancy, Defenders of Wildlife, Forest Conservation Council, The Humane Society of the United States, by Land Protection Partners, Los Angeles, CA, and Clemson University, Clemson, SC. February 14, 2005 [online]. Available: <http://www.abcbirds.org/policy/towers/lpptowerkill.pdf> [accessed May 24, 2006].
- Lowery, G.H., Jr. 1951. A quantitative study of the nocturnal migration of birds. University of Kansas Publications Museum Natural History 3(2):361-472.
- Lowery, G.H., Jr., and R.J. Newman. 1955. Direct studies of nocturnal bird migration. Pp. 238-263 in *Recent Studies in Avian Biology*, A. Wolfson, ed. Urbana: University of Illinois Press.
- Lowery, G.H., Jr., and R.J. Newman. 1966. A continent wide view of bird migration on four nights in October. *Auk* 83(4):547-586.
- Lycoming County. 2005. Zoning Ordinance. Lycoming County, Pennsylvania [online]. Available: <http://www.seda-cog.org/lyco/cwp/view.asp?a=3&Q=416972&lycoRNavrad95901=|> [accessed Sept. 13, 2006].
- Lycoming County Planning Commission. 2005. The Comprehensive Plan for Lycoming County, PA. Final Draft. June 26, 2005 [online]. Available: [http://www.lyco.org/lyco/lib/lyco/edps\\_pdfs/updates\\_comp/lycoming\\_county\\_comp\\_plan\\_working72605.pdf](http://www.lyco.org/lyco/lib/lyco/edps_pdfs/updates_comp/lycoming_county_comp_plan_working72605.pdf) [accessed Sept. 14, 2006].
- Lynch, K. 1960. *The Image of the City*. Cambridge, MA: M.I.T. Press.
- Lynch, K. 1971. *Site Planning*. M.I.T. Press, Cambridge, MA.
- Mabee, T.J., and B.A. Cooper. 2002. Nocturnal Bird Migration at the Stateline and Vansycle Wind Energy Projects, 2000–2001. Prepared for CH2MHILL and FPL Energy Vansycle, LLC, Juno Beach, FL, by ABR, Inc., Forest Grove, OR. 16 pp.
- Mabee, T.J., and B.A. Cooper. 2004. Nocturnal bird migration in northeastern Oregon and southeastern Washington. *Northwest. Nat.* 85(2):39-47.
- Mabee, T.J., B.A. Cooper, and J.H. Plissner. 2004. Radar Study of Nocturnal Bird Migration at the Proposed Mount Storm Wind-Power Development, West Virginia, Fall 2003. Final Report. Prepared for Western EcoSystems Technology, Inc., Cheyenne, WY, and NedPower US LLC, Chantilly, VA, by ABR, Inc., Forest Grove, OR. March 2004 [online]. Available: [http://www.abrinc.com/news/Publications\\_Newsletters/Mt.%20Storm%20Radar%20Study%20of%20Nocturnal%20Bird%20Migration,%20WV,%20Fall%202003.pdf](http://www.abrinc.com/news/Publications_Newsletters/Mt.%20Storm%20Radar%20Study%20of%20Nocturnal%20Bird%20Migration,%20WV,%20Fall%202003.pdf) [accessed June 13, 2006].
- Mabee, T.J., B.A. Cooper, J.H. Plissner, and D.P. Young. 2006. Nocturnal bird migration over an Appalachian ridge at a proposed wind power project. *Wildl. Soc. Bull.* 34(3):682-690.
- Macaulay Library. 2006. Sound and Video Catalog. Macaulay Library, Cornell Lab of Ornithology [online]. Available: <http://www.birds.cornell.edu/macaulaylibrary/> [accessed June 28, 2006].
- MacKinnon, B. 2006. Airport Wildlife Management--Avian Radar. *Airport Wildlife Management Bulletin* No. 36 [online]. Available: <http://www.tc.gc.ca/civilaviation/publications/tp8240/AWMB36.htm> [accessed June 15, 2006].
- MADM (Massachusetts Department of Environmental Management). 1982. *Massachusetts Landscape Inventory: A Survey of the Commonwealth's Scenic Areas*. Boston, MA: Massachusetts Department of Environmental Management.
- Maine Land Use Regulatory Commission. 1997. *Comprehensive Land Use Plan for Areas Within the Jurisdiction of the Maine Land Use Regulation Commission* [online]. Available: <http://www.maine.gov/doc/lurc/reference/clup.html> [accessed Sept. 15, 2006].
- Manly, B.F.J. 1991. *Randomization and Monte Carlo Methods in Biology*, 1st. Ed. New York: Chapman and Hall.
- Manly, B.F.J. 1997. *Randomization, Bootstrap and Monte Carlo Methods in Biology*, 2nd Ed. London: Chapman and Hall.

- Manly, B.F.J. 2001. *Statistics for Environmental Science and Management*. Boca Raton, FL: Chapman and Hall/CRC.
- Manly, B.F.J., L.L. McDonald, and D.L. Thomas. 1993. *Resource Selection by Animals: Statistical Design and Analysis for Field Studies*, 1st Ed. London: Chapman and Hall.
- Manly, B.F.J., L.L. McDonald, and G.W. Garner. 1996. Maximum likelihood estimation for the double-count method with independent observers. *J. Agric. Biol. Envir. S.* 1(2):170-189.
- Manly, B.F.J., L.L. McDonald, D.L. Thomas, T.L. McDonald, and W.P. Erickson. 2002. *Resource Selection by Animals: Statistical Design and Analysis for Field Studies*, 2nd Ed. Boston: Kluwer.
- Manville, A.M., II. 2001. The ABCs of avoiding bird collisions at communication towers: Next steps. Pp. 85-103 in *Avian Interactions with Utility and Communication Structures: Proceedings of a workshop held in Charleston, SC, December 2-3, 1999*, R.L. Carlton, ed. Concord, CA: Electric Power Research Institute.
- Marra, P.P., K.A. Hobson, and R.T. Holmes. 1998. Linking winter and summer events in a migratory bird by using stable-carbon isotopes. *Science* 282(5395):1884-1886.
- Marsh, D.M., and N.G. Beckman. 2004. Effects of forest roads on the abundance and activity of terrestrial salamanders. *Ecol. Appl.* 14(6):1882-1891.
- Marsh, D.M., G.S. Milam, N.P. Gorham, and N.G. Beckman. 2005. Forest roads as partial barriers to terrestrial salamander movement. *Conserv. Biol.* 19(6):2004-2008.
- Martí, R. 1995. Bird/wind turbine investigations in southern Spain. Pp. 48-52 in *Proceedings of the National Avian-Wind Power Planning Meeting, Denver, Colorado, 20-21 July 1994*. King City, Ontario: LGL Ltd, Environmental Research Associates [online]. Available: <http://www.nationalwind.org/publications/wildlife/avian94/avian94-03.htm#Bird/Wind%20Turbine%20Investigations%20in%20Southern%20Spain> [accessed May 24, 2006].
- Martin, W.H. 1993. Reproduction of the timber rattlesnake (*Crotalus horridus*) in the Appalachian mountains. *J. Herpetol.* 27(2):133-143.
- Matocq, M.D., and F.X. Villablanca. 2001. Low genetic diversity in an endangered species: recent or historic pattern? *Biological Conservation*, 98: 61-68.
- Mattsson, B.J., and G.J. Niemi. 2006. Factors influencing predation on ovenbird (*Seiurus aurocapilla*) nests in northern hardwoods: Interactions across spatial scales. *Auk* 123(1):82-96.
- McCracken, G.F. 1996. Bats aloft: A study of high-altitude feeding. *Bats* 14(3):7-10.
- McCracken, G.F. 2003. Estimates of population sizes in summer colonies of Brazilian free-tailed bats (*Tadarida brasiliensis*). Pp. 21-30 in *Monitoring Trends in Bat Populations of the United States and Territories: Problems and Prospects*, T.J. O'Shea, and M.A. Bogan, eds. Biological Resources Discipline, Information and Technology Report USGS/BRD/ITR-2003-003. U.S. Geological Survey [online]. Available: <http://www.fort.usgs.gov/products/publications/21329/21329.pdf> [accessed May 25, 2006].
- McCracken, G.F., and J.K. Westbrook. 2002. Bat patrol. *Natl. Geogr.* 201(4):114-123.
- McCrary, M.D., R.L. McKernan, W.D. Wagner, and R.W. Schreiber. 1983. *Nocturnal Avian Migration Assessment of the San Gorgonio Wind Resource Study Area, Spring 1982*. Report 83-RD-108. Prepared for Southern California Edison Company, Research and Development Division, Rosemead, CA.
- McCrary, M.D., R.L. McKernan, W.D. Wagner and R.E. Landry. 1984. *Nocturnal Avian Migration Assessment of the San Gorgonio Wind Resource Study Area, Fall 1982*. Report 84-RD-11. Prepared for Southern California Edison Company, Research and Development, Rosemead, CA. 87pp.
- McCrary, M.D., R.L. McKernan, and R.W. Schreiber. 1986. *San Gorgonio Wind Resource Area: Impacts of Commercial Wind Turbine Generators on Birds, 1985 Data Report*. Prepared for Southern California Edison Company, Rosemead, CA. 33pp.
- McGill University. 2000. *Migrations of birds and insects. Radar Meteorology at McGill*. McGill University, Montreal, Quebec, CA [online]. Available: [http://www.radar.mcgill.ca/bird\\_migration.html](http://www.radar.mcgill.ca/bird_migration.html) [accessed Oct. 4, 2006].
- McKinney, M.L. 1997. Extinction vulnerability and selectivity: Combining ecological and paleontological views. *Annu. Rev. Ecol. Syst.* 28:495-516.
- MDDNR (Maryland Department of Natural Resources). 2003. *Rare, Threatened, and Endangered Animals of Maryland*. Maryland Department of Natural Resources, Wildlife and Heritage Service, Natural Heritage Program, Annapolis, MD. December 12, 2003 [online]. Available: <http://dnrweb.dnr.state.md.us/download/rteanimals.pdf> [accessed Oct. 16, 2006].
- MDDNR (Maryland Department of Natural Resources). 2006. *Maryland's Power Plant Research Program (PPRP)*. Maryland Department of Natural Resources, Annapolis, MD [online]. Available: [http://www.dnr.state.md.us/bay/pprp/pp\\_brochure.html](http://www.dnr.state.md.us/bay/pprp/pp_brochure.html) [accessed Sept. 14, 2006].

- MDEP (Maine Department of Environmental Protection). 2003. Chapter 315: Assessing and Mitigating Impacts to Existing scenic and aesthetic uses (06-096). [online]. Available: <http://www.maine.gov/sos/cec/rules/06/096/096c315.doc> [accessed April 17, 2007]
- MDPSC (Maryland Public Service Commission). 1997. Title 20 Subtitle 79 Applications Concerning the Construction Or Modification Of Generating Stations And Overhead Transmission Lines [online]. Available: <http://esm.versar.com/pprp/licensing/regs/pscregs7901.html#defs> [accessed Sept. 13, 2006].
- MD Windpower TAG (Maryland Windpower Technical Advisory Group). 2006. Windpower Technical Advisory Group-Introduction. Maryland's Power Plant Research Program [online]. Available: <http://esm.versar.com/pprp/windpower/default.htm> [accessed Sept. 15, 2006].
- Mearns, E.A. 1898. A study of the vertebrate fauna of the Hudson Highlands, with observations on the Mollusca, Crustacea, Lepidoptera, and the flora of the region. *B. Am. Mus. Nat. Hist.* 10:303-352.
- Menzel, J.M. 2003. An Examination of the Habitat Requirements of the Endangered Virginia Northern Flying Squirrel (*Glaucomys sabrinus fuscus*) by Assessing Nesting Sites, Habitat Use and the Development of a Habitat Model. Ph.D. Dissertation, West Virginia University, Morgantown, WV. 122 pp.
- Menzel, J.M., M.A. Menzel, Jr., J.C. Kilgo, W.M. Ford, J.W. Edwards, and G.F. McCracken. 2005a. Effect of habitat and foraging height on bat activity in the coastal plain of South Carolina. *J. Wildlife Manage.* 69(1):235-245.
- Menzel, J.M., W.M. Ford, M.A. Menzel, T.C. Carter, J.E. Gardner, J.D. Garner, and J.E. Hofmann. 2005b. Summer habitat use and home-range analysis of the endangered Indiana bat. *J. Wildl. Manage.* 69(1):430-436.
- Menzel, J.M., W.M. Ford, J.W. Edwards, and L.J. Ceperley. 2006. A Habitat Model for Virginia Northern Flying Squirrel (*Glaucomys sabrinus fuscus*) in the Central Appalachian Mountains. Research Paper NE-729. U.S. Department of Agriculture, Forest Service, Northeastern Research Station, Newton Square, PA. 14 pp [online]. Available: [http://www.fs.fed.us/ne/newtown\\_square/publications/research\\_papers/pdfs/2006/ne\\_rp729.pdf](http://www.fs.fed.us/ne/newtown_square/publications/research_papers/pdfs/2006/ne_rp729.pdf) [accessed Dec. 20, 2006].
- Menzel, M.A., T.C. Carter, and D.M. Krishon. 1995. Roosting, Foraging, and Habitat Use by Bats of Sapelo Island, Georgia. Georgia Department of Natural Resources, Athens, GA.
- Menzel, M.A., T.C. Carter, B.R. Chapman, and J. Laerm. 1998. Quantitative comparison of tree roosts used by red bats (*Lasiurus borealis*) and Seminole bats (*L. seminolus*). *Can. J. Zool.* 76(4):630-634.
- Menzel, M.A., T.C. Carter, J.M. Menzel, W.M. Ford, and B.R. Chapman. 2002. Effects of group selection silviculture in bottomland hardwoods on the spatial activity patterns of bats. *For. Ecol. Manage.* 162(2-3):209-218.
- Merriam, G., M. Kozakiewicz, E. Tsuchiya, and K. Hawley. 1989. Barriers as boundaries for metapopulations and demes of *Peromyscus leucopus* in farm landscapes. *Landscape Ecol.* 2(4):227-235.
- MIDLEG (Michigan Department of Labor and Economic Growth). 2005. Michigan Siting Guidelines for Wind Energy Systems. Energy Office, Michigan Department of Labor and Economic Growth. December 14, 2005 [online]. Available: [http://www.michigan.gov/documents/Wind\\_and\\_Solar\\_Siting\\_Guidelines\\_Draft\\_5\\_96872\\_7.pdf](http://www.michigan.gov/documents/Wind_and_Solar_Siting_Guidelines_Draft_5_96872_7.pdf) [accessed Sept. 13, 2006].
- Mielke, M., D. Soctomah, M. Marsden, W. Ciesla. 1986. Decline and Mortality of Red Spruce in West Virginia. Report No. 86-4. U.S. Department of Agriculture, Forest Service, Forest Pest Management, Methods Application Group, Fort Collins, CO.
- Millspaugh, J.J., and J.M. Marzluff, eds. 2001. Radio Tracking and Animal Populations. San Diego: Academic Press.
- Mitchell, D. 2001. Spring and fall diet of the endangered West Virginia northern flying squirrel (*Glaucomys sabrinus fuscus*). *Am. Midl. Nat.* 146(2):439-443.
- Mitchell, M.S, and R.A. Powell. 2003. Response of black bears to forest management in the southern Appalachian Mountains. *J. Wildl. Manage.* 67(4):692-705.
- Mitsubishi. 2005. Mitsubishi Wind Turbine Generator MWT-1000. Mitsubishi Heavy Industres, LTD, Tokyo, Japan [online]. Available: <http://www.mhi.co.jp/nsmw/mwt/en/str1000.html> [accessed Aug. 21, 2006].
- Morrison, M.L., W.M. Block, M.D. Strickland, and W.L. Kendall. 2001. Wildlife Study Design. New York: Springer.
- MSU (Michigan State University). 2004. Land Use and Zoning Issues Related to Site Development for Utility Scale Wind Turbine Generators. Michigan State University [online]. Available: <http://web1.msue.msu.edu/cdnr/otsegowindflicker.pdf> [accessed Sept. 6, 2006].

- Muhkin, A. 2004. Night Movements of young reed warblers in summer: is it postfledging dispersal? *Auk* 121:203-209.
- Munn, C.A. 1991. Tropical canopy netting and shooting lines over tall trees. *J. Field Ornithol.* 62(4):454-463.
- Musgrave, R.S., and M.A. Stein. 1993. *State Wildlife Laws Handbook: Center for Wildlife Law at the Institute of Public Law, University of New Mexico, Albuquerque, NM.* Rockville, MD: Government Institutes.
- Nardi, R.R., and J.H. Daniels, Jr. 2005a. Wind Energy Easements. Windustry, Minneapolis, MN [online]. Available: <http://www.windustry.org/opportunities/WindEasements.pdf> [accessed Sept. 6, 2006].
- Nardi, R.R., and J.H. Daniels, Jr. 2005b. Wind Energy Easement and Lease Agreements: Best Practices and Recommendations. Windustry, Minneapolis, MN [online]. Available: [http://www.windustry.org/Easements/BestPractices&Policy\\_Sept2005.pdf](http://www.windustry.org/Easements/BestPractices&Policy_Sept2005.pdf) [accessed Oct. 16, 2006].
- NCDC (National Climatic Data Center). 2006. NCDC Radar Resources. National Climatic Data Center, U.S. Department of Commerce [online]. Available: <http://www.ncdc.noaa.gov/oa/radar/radarresources.html> [accessed July 3, 2006].
- NEPA Task Force (National Environmental Policy Task Force). 2003. Modernizing NEPA Implementation, Report to the Council on Environmental Quality. September 2003 [online]. Available: <http://ceq.eh.doe.gov/ntf/report/finalreport.pdf> [accessed Dec. 27, 2006].
- NESCAUM (Northeast States for Coordinated Air Management). 2002. Greenhouse Gas Case Studies: Exelon Corporation Wind Power Purchases. May 6, 2002 [online]. Available: <http://www.nescaum.org/projects/greenhouse-gas-early-action-demonstration-project/greenhouse-gas-case-studies/windpower.doc> [accessed Sept. 21, 2006].
- NESCAUM (Northeast States for Coordinated Air Management). 2003. Mercury Emissions from Coal-Fired Power Plants: The Case for Regulatory Action. October 2003 [online]. Available: <http://www.nescaum.org/documents/rpt031104mercury.pdf/> [accessed Sept. 21, 2006].
- Neuweiler, G. 2000. *The Biology of Bats.* New York: Oxford University Press.
- Newman, R.J., and G.H. Lowery, Jr. 1959. The changing seasons: A summary of the 1959 spring migration and its geographic background. *Audubon Field Notes* 13(4):346-352.
- Nicholson, C.P. 2003. Buffalo Mountain Windfarm, Bird and Bat Mortality Monitoring Report: October 2001-September 2002. Tennessee Valley Authority, Knoxville, TN. February 2003 [online]. Available: [http://psc.wi.gov/apps/erf\\_share/view/viewdoc.aspx?docid=35049%20](http://psc.wi.gov/apps/erf_share/view/viewdoc.aspx?docid=35049%20) [accessed May 24, 2006].
- Nielsen, F.B. 2002. A formula for success in Denmark. Pp. 115-132 in *Wind Power in View: Energy Landscapes in a Crowded World*, M.J. Pasqualetti, P. Gipe, and R.W. Righter, eds. San Diego: Academic Press.
- Nielsen, A. 2003. Shadow Flicker Briefing. Prepared for Zilkha Renewable Energy, Portland, OR, by Wind Engineers, Inc. November 20, 2003 [online]. Available: [http://www.efsec.wa.gov/wildhorse/apl/Exhibits/PDF/E09\\_Shadow\\_Flicker\\_Briefing\\_Memo.pdf](http://www.efsec.wa.gov/wildhorse/apl/Exhibits/PDF/E09_Shadow_Flicker_Briefing_Memo.pdf) [accessed Sept. 6, 2006].
- Nisbet, I.C.T. 1959. Calculation of flight directions of birds observed crossing the face of the moon. *Wilson Bull.* 17(3):237-243.
- Nisbet, I.C.T. 1963a. Estudio de la migracion sobre el disco lunar (I). *Ardeola* 8:5-17.
- Nisbet, I.C.T. 1963b. Quantitative study of migration with 23-centimetre radar. *Ibis* 105(4):435-460.
- Nohara, T.J., P. Weber, A. Premji, C. Kranor, S. Gauthreaux, M. Brand, and G. Key. 2005. Affordable avian radar surveillance systems for natural resource management and BASH applications. Pp. 10-15 in *IEEE 2005 International Radar Conference*, 9-12 May 2005, Arlington, VA [online]. Available: <http://ieeexplore.ieee.org/xpl/tocresult.jsp?isnumber=30939> [accessed June 15, 2006].
- Nol, E., C.M. Francis, and D.M. Burke. 2005. Using distance from putative source woodlots to predict occurrence of forest birds in putative sinks. *Conserv. Biol.* 19(3):836-844.
- Northrop, Devine, & Tarbell, Inc. 1995a. New England Wind Energy Station, Spring 1994 Nocturnal Migration Study Report. Prepared for Kenetech Windpower, Inc., Portland, ME.
- Northrop, Devine, & Tarbell, Inc. 1995b. New England Wind Energy Station, Fall 1994 Nocturnal Migration Study Report. Prepared for Kenetech Windpower, Inc., Portland, ME.
- NRC (National Research Council). 1985. *Oil in the Sea: Inputs, Fates, and Effects.* Washington, DC: National Academy Press.
- NRC (National Research Council). 1986. *Ecological Knowledge for Environmental Problem Solving: Concepts and Case Studies.* Washington, DC: National Academy Press.
- NRC (National Research Council). 1994. *Science and Judgment in Risk Assessment.* Washington, DC: National Academy Press.
- NRC (National Research Council). 2000. *Waste Incineration and Public Health.* Washington, DC: National Academy Press.

- NRC (National Research Council). 2001. *Climate Change and Science: An Analysis of Some Key Questions*. Washington, DC: National Academy Press.
- NRC (National Research Council). 2002b. *New Tools for Environmental Protection: Education, Information, and Voluntary Measures*, T. Dietz and P.C. Stern, eds. Washington, DC: National Academy Press.
- NRC (National Research Council). 2003. *Cumulative Environmental Effects of Oil and Gas Activities on Alaska's North Slope*. Washington, DC: The National Academies Press.
- NRC (National Research Council). 2004. *Atlantic Salmon in Maine*. Washington, DC: The National Academies Press.
- NRC (National Research Council). 2005. *Assessing and Managing the Ecological Impacts of Paved Roads*. Washington, DC: The National Academies Press.
- NRC (National Research Council). 2006a. *New Source Review for Stationary Sources of Pollution*. Washington, DC: The National Academies Press.
- NRC (National Research Council). 2006b. *Alternatives to the Indian Point Energy Center for Meeting New York Electric Power Needs*. Washington, DC: The National Academies Press.
- NREL (National Renewable Energy Laboratory). 2003. *MidAtlantic Regional Wind High Resolution. GIS Coverages. Dynamic Maps, GIS Data and Analysis Tools* [online]. Available: [http://www.nrel.gov/gis/data\\_analysis.html](http://www.nrel.gov/gis/data_analysis.html) [accessed March 29, 2006].
- NREL (National Renewable Energy Laboratory). 2006a. *Projected Benefits of Federal Energy Efficiency and Renewable Energy Programs, FY 2007 Budget Request*. NREL/TP-620-39684. National Renewable Energy Laboratory, Energy Efficiency and Renewable Energy, U.S. Department of Energy. March 2006 [online]. Available: <http://www1.eere.energy.gov/ba/pdfs/39684.pdf> [accessed Sept. 19, 2006].
- NREL (National Renewable Energy Laboratory). 2006b. *Wind Deployment System (WinDS) Model*. National Renewable Energy Laboratory [online]. Available: <http://www.nrel.gov/analysis/winds/> [accessed Sept. 21, 2006].
- NWCC (National Wind Coordinating Committee). 2001. *Guidelines for Assessing the Economic Development Impacts of Wind Power*. National Wind Coordinating Committee, Washington, DC. October 2001 [online]. Available: <http://www.nationalwind.org/publications/economic/guidelines.pdf> [accessed Sept. 6, 2006].
- NWCC (National Wind Coordinating Committee). 2002. *Permitting of Wind Energy Facilities: A Handbook Revised 2002*. August 2002 [online]. Available: <http://www.nationalwind.org/publications/siting/permitting2002.pdf> [accessed Sept. 12, 2006].
- NYSERDA (New York State Energy Research and Development Authority). 2005a. *Overview of the SEQR Process*. New York State Energy Research and Development Authority, Albany, NY. October 2005 [online]. Available: [http://www.powernaturally.org/Programs/Wind/toolkit/17\\_overviewSEQRprocess.pdf](http://www.powernaturally.org/Programs/Wind/toolkit/17_overviewSEQRprocess.pdf) [accessed Sept. 11, 2006]. New York State Energy Research and Development Authority, Albany, NY. October 2005 [online]. Available: [http://www.powernaturally.org/Programs/Wind/toolkit/6\\_visualimpactupfront.pdf](http://www.powernaturally.org/Programs/Wind/toolkit/6_visualimpactupfront.pdf) [accessed April 18, 2007].
- NYSERDA (New York State Energy Research and Development Authority). 2005b. *Assessing and mitigating visual impacts*.
- Odum, W.E. 1982. *Environmental degradation and the tyranny of small decision*. *BioScience* 32(9):728-729.
- O'Shea, T.J., M.A. Bogan, and L.E. Ellison. 2003. *Monitoring trends in bat populations of the United States and territories: status of the science and recommendations for the future*. *Wildlife Society Bulletin*, 31: 16-29.
- O'Shea, T.J., and M.A. Bogan (eds.). 2003. *Monitoring Trends in Bat Populations of the United States and Territories: Problems and Prospects*. U.S. Geological Survey, Biological Resources Discipline, Information and Technology Report, USGS/BRD/ITR-2003-003.
- O'Shea, T.J., L.E. Ellison, and T.R. Stanley. 2004. *Survival estimation in bats: Historical overview, critical appraisal, and suggestions for new approaches*. Pp. 297-336, *in* *Sampling Rare or Elusive Species: Concepts, Designs, and Techniques for Estimating Population Parameters* (M.L. Thompson, ed.). Island Press, Washington, D.C.
- OFCM (Office of the Federal Coordinator for Meteorological Services and Supporting Research). 2006. *Doppler Radar Meteorological Observations, Part A. System Concepts, Responsibilities, and Procedures*. Federal Meteorological Handbook No. 11. FCM-H11A-2006. Office of the Federal Coordinator for Meteorological Services and Supporting Research, U.S. Department of Commerce/National Oceanic and Atmospheric Administration, Washington, DC. April 2006 [online]. Available: <http://www.ofcm.gov/fmh11/fmh11parta/pdf/FMH11PTA-04-2006.pdf> [accessed June 13, 2006].

- Old Bird, Inc. 2005. Avian Night Flight Call. Old Bird, Inc., Ithaca, NY [online]. Available: <http://www.oldbird.org/> [accessed June 28, 2006].
- Oregon Department of Environmental Quality. 2006. Noise Control Regulations Chapter 340, Division 35. Oregon State Archive, August 2006 [online]. Available: [http://arcweb.sos.state.or.us/rules/OARs\\_300/OAR\\_340/340\\_035.html](http://arcweb.sos.state.or.us/rules/OARs_300/OAR_340/340_035.html) [accessed Sept. 6, 2006].
- Orloff, S., and A. Flannery. 1992. Wind Turbine Effects on Avian Activity, Habitat Use, and Mortality in Altamont Pass and Solano County Wind Resource Areas, 1989-1991. Final Report. P700-92-001. Prepared for Planning Departments of Alameda, Contra Costa and Solano Counties and the California Energy Commission, Sacramento, CA, by BioSystems Analysis, Inc., Tiburon, CA. March 1992.
- Orloff, S., and A. Flannery. 1996. A Continued Examination of Avian Mortality in the Altamont Pass Wind Resource Area. Consultant Report. P700-96-004CN. Prepared for California Energy Commission, Sacramento, CA, by BioSystems Analysis, Inc., Tiburon, CA. August 1996.
- Ormsbee, P.C., and W.C. McComb. 1998. Selection of day roosts by female long-legged myotis in the central Oregon Cascade Range. *J. Wildl. Manage.* 62(2):596-603.
- Ortega, Y.K., and D.E. Capen. 1999. Effects of forest roads on habitat quality for ovenbirds in forested landscape. *Auk* 116(4):937-946.
- Ortega, Y.K., and D.E. Capen. 2002. Roads as edges: Effects on birds in forested landscapes. *Forest Sci.* 48(2):381-390.
- Osborn, R.G., C.D. Dieter, K.F. Higgins, and R.E. Usgaard. 1998. Bird flight characteristics near wind turbines in Minnesota. *Am. Midl. Nat.* 139(1):29-38.
- O'Shea, T.J., and M.A. Bogan, eds. 2003. Monitoring Trends in Bat Populations of the United States and Territories: Problems and Prospects. Biological Resources Discipline, Information and Technology Report USGS/BRD/ITR-2003-003. U.S. Geological Survey [online]. Available: <http://www.fort.usgs.gov/products/publications/21329/21329.pdf> [accessed June 9, 2006].
- OTC (Ozone Transport Commission). 2002. OTC Emission Reduction Workbook 2.1. Ozone Transport Commission. November 12, 2002 [online]. Available: <http://www.otcair.org/document.asp?fview=Report#> [accessed Sept. 21, 2006].
- Pacca, S., and A. Horvath. 2002. Greenhouse gas emissions from building and operating electric power plants in the Upper Colorado River Basin. *Environ. Sci. Technol.* 36(14):3194-3200.
- PADCNR (Pennsylvania Department of Conservation and Natural Resources). 2006. Wind Farm Permitting and Regulation in Pennsylvania. PA Wind Farms and Wildlife Collaborative Resource Center [online]. Available: <http://www.dcnr.state.pa.us/wind/resources.aspx> [accessed Dec. 27, 2006].
- PAGC (Pennsylvania Game Commission). 2006. Endangered Species. Pennsylvania Game Commission [online]. Available: <http://www.pgc.state.pa.us/pgc/cwp/view.asp?a=458&q=150321> [accessed Oct. 16, 2006].
- Palmer, J.F. 1983. Visual quality and visual impact assessment. Pp. 263-284 in *Social Impact Assessment Methods*, K. Finsterbusch, L.G. Llewellyn, and C.P. Wolf, eds. Beverly Hills: Sage Publications.
- Palmer, J.F. 1997. Public Acceptance Study of the Searsburg Wind Power Project: Year One Post-Construction. Prepared by James F. Palmer, Clinton Solutions, Fayetteville, NY, for Vermont Environmental Research Associates, Inc., Waterbury Center, VT, and Green Mountain Power Corporation, South Burlington, VT. December 1997 [online]. Available: [http://www3.digitalfrontier.com/essential\\_wc5/wind/images/photos/searsburg/pub\\_acceptance\\_study.pdf](http://www3.digitalfrontier.com/essential_wc5/wind/images/photos/searsburg/pub_acceptance_study.pdf) [accessed Sept. 6, 2006].
- Parsons, S., and M.K. Obrist. 2004. Recent methodological advances in the recording and analysis of chiropteran biosonar signals in the field. Pp. 468-477 in *Echolocation in Bats and Dolphins*, J.A. Thomas, C. Moss, and M. Vater, eds. Chicago: University of Chicago Press.
- Pasqualetti, M.J., P. Gipe, and R.W. Righter, eds. 2002. *Wind Power in View: Energy Landscapes in a Crowded World*. San Diego: Academic Press.
- Pasqualetti, M.J., R. Righter, and P. Gipe. 2004. History of wind energy. Pp. 419-433 in *Encyclopedia of Energy*, Vol. 6, C. Cleveland, ed. Amsterdam: Elsevier.
- Patterson, J.W., Jr. 2005. Development of Obstruction Lighting Standards for Wind Turbine Farms. DOT/FAA/AR-TNO5/50. U.S. Department of Transportation, Federal Aviation Administration. November 2005 [online]. Available: <http://www.tc.faa.gov/its/worldpac/techrpt/artn05-50.pdf> [accessed Sept. 13, 2006].
- Patton-Mallory, M. 2006. The Role of the Federal Government and Federal Lands in Fueling Renewable and Alternative Energy. Testimony to the Subcommittee on Energy and Mineral Resources, Committee on

- Resources, United States House of Representatives. April 6, 2006 [online]. Available: <http://www.fs.fed.us/congress/109/house/oversight/patton-mallory/040606.html> [accessed Oct. 10, 2006].
- Pauley, T.K. 1981. The range and distribution of the Cheat Mountain salamander, *Plethodon nettingi*. Proc. WV Acad. Sci. 53(2):31-35.
- Pavey, C.R. 1998. Habitat use by the eastern horseshoe bat, *Rhinolophus megaphyllus*, in a fragmented woodland mosaic. Wildlife Res. 25(5):489-498.
- PAWWG (Pennsylvania Wind Working Group). 2006. Model Ordinance for Wind Energy Facilities in Pennsylvania. March 21, 2006 [online]. Available: [http://www.pawindenergynow.org/pa/Model\\_Wind\\_Ordinance\\_Final\\_3\\_21\\_06.pdf](http://www.pawindenergynow.org/pa/Model_Wind_Ordinance_Final_3_21_06.pdf) [accessed Sept. 19, 2006].
- Peatkau, D. 2003. An empirical exploration of data quality in DNA-based population inventories. Molecular Ecology, 12: 1375-1387.
- Pedden, M. 2006. Analysis: Economic Impacts of Wind Applications in Rural Communities: June 18, 2004-January 31, 2005. Subcontract Report NREL/SR-500-39009. National Renewable Energy Laboratory, Golden, CO. January 2006 [online]. Available: <http://www.nrel.gov/docs/fy06osti/39099.pdf> [accessed Sept. 6, 2006].
- Pedersen, M.B., and E. Poulsen. 1991. Impact of a 90m/2MW Wind Turbine on Birds: Avian Responses to the Implementation of the Tjaereborg Wind Turbine at the Danish Wadden Sea [in Danish]. Kalø, Denmark: Miljøministeriet, Danmarks Miljøundersøgelser (Danske Vildtundersøgelser 47:34-44).
- Peterson, B.S., and H. Nohr. 1989. Consequences of Minor Wind Mills for Bird Fauna. Ornis Consult, Copenhagen.
- Petranka, J.W., and C.K. Smith. 2005. A functional analysis of streamside habitat use by southern Appalachian salamanders: Implications for riparian forest management. Forest Ecol. Manag. 210(1-3):443-454.
- Petranka, J.W., M.E. Eldridge, and K.E. Haley. 1993. Effects of timber harvesting on southern Appalachian salamanders. Conserv. Biol. 7(2):363-370.
- Pettersson, L. 2004. Time expansion: Analysis capabilities and limitations and field design. Pp. 91-94 in Bat Echolocation Research: Tools, Techniques, and Analysis, R.M. Brigham, E.K.V. Kalko, G. Jones, S. Parsons, and H.J.G.A. Limpens, eds. Austin, TX: Bat Conservation International.
- Phillips, J.F. 1994. The Effects of the Windfarm on the Upland Breeding Bird Communities of Bryn Titli, Mid-Wales: 1993-1994. Royal Society for the Protection of Birds, the Welsh Office, Bryn Aderyn, The Bank, Newton, Powys, UK.
- Pierpont, N. 2006. Wind Turbine Syndrome. Testimony Before the New York State Legislature Energy Committee. March 7, 2006 [online]. Available: [http://www.ninapierpont.com/pdf/Wind\\_turbine\\_syndrome,\\_NYS\\_Energy\\_Committee\\_3-7-06.pdf](http://www.ninapierpont.com/pdf/Wind_turbine_syndrome,_NYS_Energy_Committee_3-7-06.pdf) [accessed Sept. 6, 2006].
- Pierson, E.D. 1998. Tall trees, deep holes, and scarred landscapes: Conservation biology of North American bats. Pp. 309-325 in Bat Biology and Conservation, T.H. Kunz, and P.A. Racey, eds. Washington DC: Smithsonian Institution Press.
- Piorkowski, M. 2006. Breeding bird habitat use and turbine collisions of birds and bats located at a wind farm in Oklahoma mixed-grass prairie. Master's Thesis, Oklahoma State University, Stillwater, OK.
- Plissner, J.H., T.J. Mabee, and B.A. Cooper. 2005. A Radar and Visual Study of Nocturnal Bird and Bat Migration at the Proposed Casselman and Martindale Wind Power Projects, Pennsylvania, Fall 2004. Final Report. Prepared for Atlantic Renewable Energy Corporation, Dickerson, MD, and Curry & Kerlinger, LLC, McLean, VA, by ABR, Inc., Forest Grove, OR. June 2005.
- Plissner, J.H., J.H., Mabee, T.J., and B.A. Cooper. 2006. A Radar and Visual Study of Nocturnal Bird and Bat Migration at the Proposed Highland New Wind Development Project, Virginia, Fall 2005. Final Report. Prepared for Highland New Wind Development, LLC, Harrisonburg, VA, by ABR, Inc.—Environmental Research & Services, Forest Grove, OR. January 2006 [online]. Available: <http://esm.versar.com/pprp/windpower/Highland-VA-Radar-Study2006.pdf> [accessed Sept. 29, 2006].
- PJM. 2005a. PJM Load Forecast Report. The Load Analysis Subcommittee, PJM Interconnection, Inc. February 2005 [online]. Available: <http://www.pjm.com/planning/res-adequacy/downloads/2005-load-forecast-report.pdf> [accessed Sept. 21, 2006].
- PJM. 2005b. Rules and Procedures for Determination of Generating Capability. PJM Manual 21, Revision 04. Prepared by PJM System Planning Department. August 15, 2005 [online]. Available: <http://www.pjm.com/contributions/pjm-manuals/pdf/m21v04.pdf> [accessed Sept. 21, 2006].

- PJM. 2006a. 2005 State of the Market Report. Market Monitoring Unit, PJM Interconnection, Inc. March 8, 2006 [online]. Available: <http://www.pjm.com/markets/market-monitor/som.html> [accessed Sept. 21, 2006].
- PJM. 2006b. PJM Interconnection Generator Attribute Tracking System. [online]. Available: <https://gats.pjm-eis.com/myModule/rpt/myrpt.asp> [accessed August 17, 2006].
- Podolsky, R.H. 2003. Method and Article of Manufacture for Determining Probability of Avian Collision. US Patent Filing #92717353USPL.
- Porneluzi, P.A., and J. Faaborg. 1999. Season-long fecundity, survival, and viability of ovenbirds in fragmented and unfragmented landscapes. *Conserv. Biol.* 13(5):1151-1161.
- Ports, M.A., and P.V. Bradley. 1996. Habitat affinities of bats from northeastern Nevada. *Great Basin Nat.* 56(1):48-53.
- Power, M., D. Tilman, J. Estes, B. Menge, W. Bond, L. S. Mills, G. Daily, J. C. Castilla, J. Lubchenco, and R. Paine. 1996. Challenges in the Quest for Keystones. *BioScience* 46(8):609-620.
- Preatoni, D.G., M. Nodari, R. Chirichella, G. Tosi, L.A. Wauters, and A. Martinoli. 2005. Identifying bats from time-expanded recordings of search calls: Comparing classification methods. *J. Wildl. Manage.* 69(4):1601-1614.
- Priestley, T. 2005. Visual impact assessment: practical issues and links to research, December 2005 Proceedings: NWCC Technical Considerations in Siting Wind Developments.
- Publicover, D. 2004. A Methodology for Assessing Conflicts Between Windpower Development and Other Land Uses. AMC Technical Report 04-2. Appalachian Mountain Club, Research Department, Gorham, NH. May 2004 [online]. Available: <http://www.outdoors.org/pdf/upload/Windpower-Siting-Project-Report.pdf> [accessed Sept. 13, 2006].
- Purvis, A., J.L. Gittleman, G. Cowlishaw, and G.M. Mace. 2000. Predicting extinction risk in declining species. *P. Roy. Soc. Lond. B Bio.* 267(1456):1947-1952.
- Quang, P.X., and E.F. Becker. 1996. Line transect sampling under varying conditions with applications to aerial surveys. *Ecology* 77(4):1297-1302.
- Quang, P.X., and E.F. Becker. 1997. Combining line transect and double count sampling techniques for aerial surveys. *J. Agric. Biol. Envir. S.* 2(2):229-242.
- Ralph, C.J., G.R. Geupel, P. Pyle, T.E. Martin, and D.F. DeSante. 1993. Handbook of Field Methods for Monitoring Landbirds. GTR-PSW-GTR-144. U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station, Albany, CA [online]. Available: <http://www.fs.fed.us/psw/publications/documents/gtr-144/> [accessed Sept. 29, 2006].
- Reed, R.A., J. Johnson-Barnard, and W.A. Baker. 1996. Contribution of roads to forest fragmentation in the Rocky Mountains. *Conserv. Biol.* 10(4):1098-1106.
- Renevey, B. 1981. Study of the wing-beat frequency of night-migrating birds with a tracking radar. *Rev. Suisse Zool.* 88:875-886.
- Reynolds, D.S. 2006. Monitoring the potential impact of a wind development site on bats in the Northeast. *J. Wildl. Manage.* 70(5):1219-1227.
- Reynolds, R.T., J.M. Scott, and R.A. Nussbaum. 1980. A variable circular-plot method for estimating bird numbers. *Condor* 82(3):309-313.
- RGGI (Regional Greenhouse Gas Initiative). 2006. Regional Greenhouse Gas Initiative Model Rule. August 18, 2006 [online]. Available: [http://www.rggi.org/docs/model\\_rule\\_8\\_15\\_06.pdf](http://www.rggi.org/docs/model_rule_8_15_06.pdf) [accessed Sept. 21, 2006].
- Richardson, W.J. 1972. Autumn migration and weather in eastern Canada: A radar study. *Am. Birds* 26:10-17.
- Richardson, W.J. 1978. Reorientation of nocturnal landbird migrants over the Atlantic Ocean near Nova Scotia in autumn. *Auk* 95(4):717-732.
- Richardson, W.J. 1979. Radar techniques for wildlife studies. Pp. 171-179 in Pecora IV, Proceedings of the Symposium: Application of Remote Sensing Data to Wildlife Management. National Wildlife Federation Scientific Technical Series 3. Sioux Falls, SD: National Wildlife Federation.
- Richardson, W. J. 1990. Timing of bird migration in relation to weather: Updated review. In: E. Gwinner (Ed.) *Bird Migration: Physiology and Ecophysiology*, pp 78-101. Springer-Verlag, Berlin.
- RICS (Royal Institution of Chartered Surveyors). 2004. RICS Housing Market Survey. [online]. Available: <http://www.rics.org/> [accessed April 23, 2007].
- RIDEM (Rhode Island Department of Environmental Management). 1990. The Rhode Island Landscape Inventory: A Survey of the State's Scenic Areas. Providence, RI: Department of Environmental Management.
- Riggs, M.R., and K.H. Pollock. 1992. A risk ratio approach to multivariate analysis of survival in longitudinal studies of wildlife populations. Pp. 74-89 in *Wildlife 2001: Populations*, D. R. McCullough, and R.H. Barrett, eds. London: Elsevier Applied Science.

- Riley, J.R. 1989. Remote sensing in entomology. *Annu. Rev. Entomol.* 34:247-271.
- Riley, J.R., D.R. Reynolds, and M.J. Farmery. 1983. Observations of the flight behaviour of the armyworm moth, *Spodoptera exempta*, at an emergence site using radar and infra-red optical techniques. *Ecol. Entomol.* 8:395-418.
- Rinehart, J.B. and T.H. Kunz. 2001. Preparation and deployment of canopy mist nets made by Avinet. *Bat Research News* 42(3):85-88.
- Ringkøbing Amt, Møller og Grønborg, and Carl Bro. 2002. Windmøller På Land: Drejebog For VVM. February 2002 [online]. Available: <http://www.windenergy-in-the-bsr.net/download/DrejebogVVMvindmoeller.pdf> [accessed Sept. 18, 2006].
- Robbins, C.S., D.K. Dawson, and B.A. Dowell. 1989. Habitat Area Requirements of Breeding Forest Birds of the Middle Atlantic States. *Wildlife Monographs* 103. Washington, DC: Wildlife Society.
- Robbins, C.S., J.W. Fitzpatrick, and P.B. Hamel. 1992. A warbler in trouble: *Dendroica cerulea*. Pp. 549-562 in *Ecology and Conservation of Neotropical Migrant Landbirds*, J.M. Hagan, and D.W. Johnston, eds. Washington, DC: Smithsonian Institution Press.
- Roble, S. M. 2006. Natural Heritage Resources of Virginia: Rare Animal Species. Natural Heritage Technical Report 06-10. Virginia Department of Conservation and Recreation, Division of Natural Heritage, Richmond, VA. 44 pp.
- Roman, J., and S.R. Palumbi. 2003. Whales before whaling in the North Atlantic. *Science*, 301: 508-510.
- Rosenstock, S.S., D.R. Anderson, K.M. Giesen, T. Leukering, and M.F. Carter. 2002. Landbird counting techniques: Current practices and an alternative. *Auk* 119(1):46-53.
- Rossell, C.R., Jr., B. Gorsira, and S. Patch. 2005. Effects of white-tailed deer on vegetation structure and woody seedling composition in three forest types on the Piedmont Plateau. *Forest Ecol. Manag.* 210(1-3):415-424.
- Royle, J.A., and D.R. Rubenstein. 2004. The role of species abundance in determining the breeding origins of migratory birds using stable isotopes. *Ecol. Appl.* 14(6):1780-1788.
- Rubenstein, D.R., and K.A. Hobson. 2004. From birds to butterflies: Animal movement patterns and stable isotopes. *Trends Ecol. Evol.* 19(5):256-263.
- Rubenstein, D.R., C.P. Chamberlain, R.T. Holmes, M.P. Ayres, J.R. Waldbauer, G.R. Graves and N.C. Tuross. 2002. Linking breeding and wintering ranges of a migratory songbird using stable isotopes. *Science* 295(5557):1062-1065.
- Russell, A.L., and G.F. McCracken. 2006. Population genetic structuring of very large populations: The Brazilian free-tailed bat *Tadarida brasiliensis*. Pp. 227-247 in *Functional and Evolutionary Ecology of Bats*, T.H. Kunz, A. Zubaid, and G.F. McCracken, eds. New York: Oxford University Press.
- Russell, A.L., R.A. Medellin, and G.F. McCracken. 2005. Genetic variation and migration in the Mexican free-tailed bat (*Tadarida brasiliensis mexicana*). *Molecular Ecology*, 14: 2207-2222.
- Russell, K.R., and S.A. Gauthreaux, Jr. 1998. Use of weather radar to characterize movements of roosting purple martins. *Wildlife Soc. Bull.* 26(1):5-16.
- Russell, K.R., D.S. Mizrahi, and S.A. Gauthreaux, Jr. 1998. Large-scale mapping of purple martin pre-migratory roosts using WSR-88D weather surveillance radar. *J. Field Ornithol.* 69(2):316-325.
- Sabol, B.M., and M.K. Hudson. 1995. Technique using thermal infrared-imaging for estimating populations of gray bats. *J. Mammal.* 76(4):1242-1248.
- Sauer, J.R., J.E. Hines, and J. Fallon. 2005. The North American Breeding Bird Survey, Results and Analysis 1966 - 2004. Version 2005.2. USGS Patuxent Wildlife Research Center, Laurel, MD [online]. Available: <http://www.mbr-pwrc.usgs.gov/bbs/> [accessed June 16, 2006].
- Sawyer, H., R.M. Nielson, F. Lindzey, and L.L. McDonald. 2006. Winter habitat selection of mule deer before and during development of a natural gas field. *J. Wildl. Manage.* 70(2):396-403.
- Schleede, G.R. 2003. Wind Energy Economics in West Virginia. *Minnesotans for Sustainability*. January 20, 2003 [online]. Available: [http://www.mnforsustain.org/windpower\\_schleede\\_west\\_virginia\\_part2.htm](http://www.mnforsustain.org/windpower_schleede_west_virginia_part2.htm) [accessed May 18, 2006].
- SDGFP (South Dakota Department of Game, Fish and Parks). 2005. Siting Guidelines for Wind Power Projects in South Dakota [online]. Available: <http://nathist.sdstate.edu/SDBWG/Subpages/windGuidelines.pdf> [accessed Sept. 12, 2006].
- Schmidt, U., and G. Joermann. 1986. The influence of acoustical interferences on echolocation in bats. *Mammalia* 50(3):379-389.
- Schulze, M.D., N.E. Seavy, and D.F. Whitacre. 2000. A comparison of the phyllostomid bat assemblages in undisturbed neotropical forest and in forest fragments of a slash-and-burn farming mosaic in Peten, Guatemala. *Biotropica* 32(1):174-184.

- Schüz, E., P. Berthold, E. Gwinner, and H. Oelke. 1971. *Grundriss der Vogelzugskunde*, 2nd Ed. Berlin: P. Parey.
- Shoenfeld, P. 2004. Suggestions regarding avian mortality extrapolation. Prepared for the Mountaineer Wind Energy Center Technical Review Committee.
- Short, W., N. Blair, P. Denholm, and D. Heimiller. 2006. Modeling High-Penetration Wind Scenarios: WinDS Model Results. Presentation to Wind Powering America Summit, June 8, 2006 [online]. Available: [http://www.eere.energy.gov/windandhydro/windpoweringamerica/pdfs/workshops/2006\\_summit/short.pdf](http://www.eere.energy.gov/windandhydro/windpoweringamerica/pdfs/workshops/2006_summit/short.pdf) [accessed on Sept. 7, 2006].
- Siemers, B.M., K. Beedholm, C. Dietz, I. Dietz, and T. Ivanova. 2005. Is species identity, sex, age or individual quality conveyed by echolocation call frequency in European horseshoe bats? *Acta Chiropterol.* 7(2):259-274.
- Skalski, J.R., and D.S. Robson. 1992. *Techniques for Wildlife Investigations: Design and Analysis of Capture Data*. San Diego, CA: Academic Press.
- Smallwood, K.S., and C.G. Thelander. 2004. Developing Methods to Reduce Bird Mortality in the Altamont Pass Wind Resource Area. Final Report. P500-04-052. Prepared for California Energy Commission, Public Interest Energy Research Program, Sacramento, CA, by BioResources Consultants, Ojai, CA. August 2004 [online]. Available: [http://www.energy.ca.gov/pier/final\\_project\\_reports/500-04-052.html](http://www.energy.ca.gov/pier/final_project_reports/500-04-052.html) [accessed May 25, 2006].
- Smallwood, K.S. and C.G. Thelander. 2005. Bird Mortality at the Altamont Pass Wind Resource Area: March 1998 - September 2001. Subcontract Report NREL/SR-500-36973. Prepared for National Renewable Energy Laboratory, Golden, CO, by BioResource Consultants, Ojai, CA. August 2005 [online]. Available: <http://www.nrel.gov/docs/fy05osti/36973.pdf> [accessed June 22, 2006].
- Smardon, R.C., J.F. Palmer, and J.P. Felleman. 1986. *Foundations for Visual Project Analysis*. New York: Wiley.
- Smith, H.J., and H. Kunreuther. 2001. Mitigation and benefits measures as policy tools for siting potentially hazardous facilities: Determinants of effectiveness and appropriateness. *Risk Anal.* 21(2):371-382.
- SonoBat. 2005. Software for Bat Call Analysis [online]. Available: <http://www.sonobat.com/> [accessed June 28, 2006].
- Spencer, H.J., C. Palmer, and K. Parry-Jones. 1991. Movements of fruit-bats in eastern Australia, determined by using radio-tracking. *Wildlife Res.* 18(4):463-468.
- Stanton, C. 2005. Visual impacts: UK and European perspectives. [online]. Available: [http://www.nationalwind.org/events/siting/presentations/stanton-visual\\_impacts.pdf](http://www.nationalwind.org/events/siting/presentations/stanton-visual_impacts.pdf) [accessed April 23, 2007].
- State of Oregon. 2006. The siting process for energy facilities [online]. Available: [www.oregon.gov/ENERGY/STING/process.shtml](http://www.oregon.gov/ENERGY/STING/process.shtml) [accessed Sept. 11, 2006].
- Stemer, D. 2002. A roadmap for PIER research on avian collisions with wind turbines in California. P500-02-070F. Sacramento, CA: California Energy Commission [online]. Available: [http://www.energy.ca.gov/reports/2002-12-24\\_500-02-070F.PDF](http://www.energy.ca.gov/reports/2002-12-24_500-02-070F.PDF) [accessed May 18, 2006].
- Sterzinger, G., F. Beck, and D. Kostiuk. 2003. The effect of wind development on local property values. Renewable Energy Policy Project, Washington, DC. [online]. Available: [http://www.crest.org/articles/static/1/binaries/wind\\_online\\_final.pdf](http://www.crest.org/articles/static/1/binaries/wind_online_final.pdf) [accessed April 23, 2007]
- Stewart-Oaten, A. 1986. The before-after/control-impact-pairs design for environmental impact. Prepared for Marine Review Committee, Inc., Encinitas, CA. June 20, 1986.
- Strbac, G. 2002. Quantifying the system costs of additional renewables in 2020. [online]. Available: <http://www.dti.gov.uk/files/file21352.pdf> [accessed March 27, 2007].
- Stilz, W.P., and H.U. Schnitzler. 2005. Estimation of the acoustical range of bat echolocation for extended targets. (October 18, 2005 in preparation for submission to the *Journal of the Acoustical Society of America*).
- Suh, S., M. Lenzen, G.J. Treloar, H. Hondo, A. Horvath, G. Huppes, O. Joiliet, U. Klann, W. Krewitt, Y. Moriguchi, J. Munksgaard, and G. Norris. 2004. System boundary selection in life-cycle inventories using hybrid approaches. *Environ. Sci. Technol.* 38(3):657-664.
- Suter, G.W. II, R.A. Efroymsen, B.E. Sample, and D.S. Jones. 2000. *Ecological risk assessment for contaminated sites*. Boca Raton, FL: Lewis Press.
- Sutherland, W.J., I. Newton, and R. Green. 2004. *Bird ecology and conservation: a handbook of techniques*. New York: Oxford University Press.
- Swezicak, J.M. 2004. Advanced analysis techniques for identifying bat species. Pp. 121-126 in *Bat Echolocation Research: Tools, Techniques, and Analysis*, R.M. Brigham, E.K.V. Kalko, G. Jones, S. Parsons, and H.J.G.A. Limpens, eds. Austin, TX: Bat Conservation International.

- Swihart, R.K., and N.A. Slade. 1984. Road crossing in *Sigmodon hispidus* and *Microtus ochrogaster*. *J. Mammal.* 65(2):357-360.
- Thayer, R.L., and H.A. Hansen. 1988. Wind on the land. *Landscape Archit.* 78(2):69- 73.
- Thayer, R.L., and H.A. Hansen. 1989. Pp. 17-19 in *Consumer attitude and choice in local energy development*. Davis, CA: Center for Design Research, Department of Environmental Design, University of California-Davis.
- Thelander, C.G., and L. Ruge. 2000. Avian risk behavior and fatalities at the Altamont Wind Resource Area: March 1998 to February 1999. NREL/SR-500-27545. Prepared for the National Renewable Energy Laboratory, Golden, CO, by BioResource Consultants, Ojai, CA. May 2000 [online]. Available: <http://www.nrel.gov/docs/fy00osti/27545.pdf> [accessed May 25, 2006].
- Thomas, J.A., C.F. Moss, and M. Vater, eds. 2004. *Echolocation in bats and dolphins*. Chicago: The University of Chicago Press.
- Tidemann, C.R., and J.E. Nelson. 2004. Long-distance movements of the grey-headed flying fox (*Pteropus poliocephalus*). *J. Zool.* 263(2):141-146.
- Trombulak, S.C., and C.A. Frissell. 2000. Review of ecological effects of roads on terrestrial and aquatic communities. *Conserv. Biol.* 14(1):18-30.
- Tucker, V.A. 1996. A mathematical model of bird collisions with wind turbine rotors. *J. Sol. Energ. T ASME* 118(4):253-262.
- Turton, S.M., and H.J. Freiburger. 1997. Edge and aspect effects on the microclimate of a small tropical forest remnant on the Atherton Tableland, Northeast Australia. Pp. 45-54 in *Tropical Forest Remnants: Ecology, Management, and Conservation of Fragmented Communities*, W.F. Laurance, and R.O. Bierregaard, eds. Chicago IL: University of Chicago Press.
- Tuttle, M.D. 1976. Collecting techniques. Pp. 71-88 in *Biology of bats of the new world family Phyllostomatidae, Part I*, R.J. Baker, D.C. Carter, and J.K. Jones, Jr., eds. Special Pub. No. 10. Lubbock, TX: Texas Tech Press.
- Tuttle, M.D., and D. Stevenson. 1977. An analysis of migration as a mortality factor in the gray bat based on public recoveries of banded bats. *Am. Midl. Nat.* 97(1):235-240.
- Udevitz, M.S., and K.H. Pollock. 1992. Change-in-ratio methods for estimating population size. Pp. 90-101 in *Wildlife 2001: Populations*, D.R. McCullough and R.H. Barrett, eds. London: Elsevier Science Publishers.
- Underwood, A.J. 1994. On beyond BACI: sampling designs that might reliably detect environmental disturbances. *Ecol. Appl.* 4(1):3-15.
- Underwood, A.J. 1997. *Experiments in ecology: their logical design and interpretation using analysis of variance*. Cambridge: Cambridge University Press.
- UNEP/EUROBATS. 2006. 1991-2006. EUROBATS celebrates its 15th anniversary. EUROBATS Publication Series, No 1. United Nations Environment Programme (UNEP)/The Agreement on the Conservation of Population of European Bats, Bonn, Germany [online]. Available: [http://www.eurobats.org/publications/publication%20series/Eurobats\\_15th\\_Anniversary\\_INTERNET.pdf](http://www.eurobats.org/publications/publication%20series/Eurobats_15th_Anniversary_INTERNET.pdf) [accessed Dec. 18, 2006].
- UNFCCC (United Nations Framework Convention on Climate Change). 2006. Consolidated baseline methodology for grid-connected electricity generation from renewable sources. ACM0002/Version 06. Clean Development Mechanism –Executive Board, United Nations Framework Convention on Climate Change [online]. Available: [http://cdm.unfccc.int/UserManagement/FileStorage/CDMWF\\_AM\\_BW759ID58ST5YEEV6WUCN5744MN763](http://cdm.unfccc.int/UserManagement/FileStorage/CDMWF_AM_BW759ID58ST5YEEV6WUCN5744MN763) [accessed Sept. 21, 2006].
- USFS (U.S. Forest Service). 1974. National forest landscape management, Vol. 2, Chapter 1. The visual managements System. Agriculture Handbook No. 462. U.S. Department of Agriculture, Forest Service, Washington, DC.
- USFS (U.S. Forest Service). 1979. Our national landscape: proceedings of a conference on applied techniques for analysis and management of the visual resource, April 23-25, 1979.
- USFS (U.S. Forest Service). 1995. *Landscape aesthetics: a handbook for scenery management*. Agriculture Handbook No. 701. U.S. Department of Agriculture, Forest Service, Washington, DC.
- USFWS (U.S. Fish and Wildlife Service). 2002a. Migratory bird mortality. USFWS Division of Migratory bird Management, Arlington, VA. [online]. Available: <http://www.fws.gov/birds-mortality-fact-sheet.pdf>.

- USFWS (U.S. Fish and Wildlife Service). 2002b. Birds of conservation concern 2002. U.S. Fish and Wildlife Service, Division of Migratory Bird Management, Arlington, VA [online]. Available: <http://www.fws.gov/migratorybirds/reports/bcc2002.pdf> [accessed Oct. 2, 2006].
- USFWS (U.S. Fish and Wildlife Service). 2003. Interim Guidelines to Avoid and Minimize Wildlife Impacts From Wind Turbines. U.S. Department of the Interior, U.S. Fish and Wildlife Service, Washington, DC [online]. Available: <http://www.fws.gov/habitatconservation/wind.pdf> [accessed June 2, 2006].
- USFWS (U.S. Fish and Wildlife Service). 2006. West Virginia Northern Flying Squirrel: *Glaucomys sabrinus fuscus*. U.S. Fish and Wildlife Service, Northeast Region, Hadley, MA [online]. Available: <http://www.fws.gov/northeast/pdf/flyingsq.pdf> [accessed Oct. 17, 2006].
- Usgaard, R.E., D.E. Naugle, R.G. Osborn, and K.F. Higgins. 1997. Effects of wind turbines on nesting raptors at Buffalo Ridge in southwestern Minnesota. *Proc. S. Dakota Acad. Sci.* 76:113-117.
- UWIG (Utility Wind Integration Group). 2006. Utility Wind Integration State of the Art. Prepared by Utility Wind Integration Group, Reston, VA. May 2006 [online]. Available: <http://www.uwig.org/UWIGWindIntegration052006.pdf> [accessed Sept. 21, 2006].
- VADEQ (Virginia Department of Environmental Quality). 2006. Department of Environmental Quality—Letter Enclosing Additional Information. (Part 1 of 3). [online]. Available: [http://docket.scc.state.va.us:8080/CyberDocs/Libraries/Default\\_Library/Common/frameviewdsp.asp?doc=63377&lib=CASEWEBP%5FLIB&mimetype=application%2Fpdf&rendition=native](http://docket.scc.state.va.us:8080/CyberDocs/Libraries/Default_Library/Common/frameviewdsp.asp?doc=63377&lib=CASEWEBP%5FLIB&mimetype=application%2Fpdf&rendition=native). [accessed Oct. 9, 2006].
- Valladares, G., A. Salvo, and L. Cagnolo. 2006. Habitat fragmentation effects on trophic processes of insect-plant food webs. *Conserv. Biol.* 20(1):212-217.
- van den Berg, G.P. 2004. Effects of the wind profile at night on wind turbine sound. *J. Sound Vib.* 277(4-5):955-970.
- van den Berg, G.P. 2006. The Sound of High Winds: The Effect of Atmospheric Stability on Wind Turbine Sound and Microphone Noise. Ph.D. Dissertation, University of Groningen [online]. Available: <http://dissertations.ub.rug.nl/faculties/science/2006/g.p.van.den.berg/?FullItemRecord=ON> [accessed Sept. 7, 2006].
- VASCC (Virginia State Corporation Commission). 2005. Highland New Wind Development. Document List For Case Number : PUE-2005-00101 [online]. Available: [http://docket.scc.virginia.gov:8080/vaprod/DOCUMENTS.ASP?MATTER\\_NO=121126](http://docket.scc.virginia.gov:8080/vaprod/DOCUMENTS.ASP?MATTER_NO=121126) [accessed Sept. 21, 2006].
- VASCC (Virginia State Corporation Commission). 2006a. Filing Requirements in Support of Applications for Authority to Construct and Operate an Electric Generating Facility [online]. Available: <http://leg1.state.va.us/000/reg/TOC20005.HTM#C0302> [accessed Sept. 21, 2006].
- VASCC (Virginia State Corporation Commission). 2006b. Highland New Wind Development Case Number PUE-2005-00101 (all filings, notices and comments related to the case) [online]. Available: <http://docket.scc.virginia.gov:8080/vaprod/main.asp> [accessed Sept. 13, 2006].
- Vaughn, C.R. 1985. Birds and insects as radar targets: A review. *Proc. IEEE* 73(2):205–227.
- Vauk, G. 1990. Biological and Ecological Study of the Effects of Construction and Operation of Wild Power Sites [in German]. Jahrgang/Sonderheft, Enbericht. Norddeutsche Naturschutzakademie, Germany.
- Veilleux, J.P., and S.L. Veilleux. 2004. Intra-annual and interannual fidelity to summer roost areas by female eastern pipistrelles, *Pipistrellus subflavus*. *Am. Midl. Nat.* 152(1):196-200.
- Veilleux, J.P., J.O. Whitaker, Jr., and S.L. Veilleux. 2004. Reproductive stage influences roost use by tree roosting female eastern pipistrelles, *Pipistrellus subflavus*. *Ecoscience* 11(2):249-256.
- Verboom, B., and K. Spoelstra. 1999. Effects of food abundance and wind on the use of tree lines by an insectivorous bat, *Pipistrellus pipistrellus*. *Can. J. Zool.* 77(9):1393-1401.
- Vermont Division for Historic Preservation. 2007. Project Review. [online]. Available: <http://historicvermont.org/programs/evaluatingcelltowers.pdf> [accessed April 23, 2007].
- Vermont Commission on Wind Energy Regulatory Policy. 2004. Findings and Recommendations. Prepared per Executive Order 04-04. December 15, 2004 [online]. Available: [http://publicservice.vermont.gov/energy-efficiency/ee\\_files/wind/WindCommissionFinalReport-12-15-04.pdf](http://publicservice.vermont.gov/energy-efficiency/ee_files/wind/WindCommissionFinalReport-12-15-04.pdf) [accessed Sept. 11, 2006].
- Vilà, C., I. R. Amorim, J. A. Leonard, D. Posada, J. Castroviejo, F. Petrucci-Fonseca, K. A. Crandall, H. Ellegren, R. K. Wayne. 1999. Mitochondrial DNA phylogeography and population history of the grey wolf *Canis lupus*. *Molecular Ecology*, 12: 2089–2103.

- Villard, M.A., M.K. Trzcinski, and G. Merriam. 1999. Fragmentation effects on forest birds: Relative influence of woodland cover and configuration on landscape occupancy. *Conserv. Biol.* 13(4):774-783.
- Vissering, J. 2001. Wind Energy and Vermont's Scenic Landscape: A Discussion Based on the Woodbury Stakeholders Workshop [online]. Available: [http://publicservice.vermont.gov/energy-efficiency/ee\\_files/wind/vissering\\_report.pdf#search=%22Quechee%20Analysis%22](http://publicservice.vermont.gov/energy-efficiency/ee_files/wind/vissering_report.pdf#search=%22Quechee%20Analysis%22) [accessed Oct. 10, 2006].
- Vonhof, M.J. 1996. Roost-site preferences of big brown bats (*Eptesicus fuscus*) and silver-haired bats (*Lasionycteris noctivagans*) in the Pend d'Oreille Valley in southern British Columbia. Pp 62–80 in Bats and Forests Symposium, R.M.R. Barclay, and R.M. Brigham, eds. Working Paper 23/1996. Research Program, B.C. Ministry of Forests, Victoria, Canada.
- VTANR (Vermont Agency of Natural Resources). 2004. Wind Energy and other Renewable Energy Development on ANR Lands. December 2004 [online]. Available: <http://www.vermontwindpolicy.org/finalpol.pdf#search=%22State%20of%20Vermont%20commercial%20wind%20energy%22> [accessed Sept. 21, 2006].
- VTANR (Vermont Agency of Natural Resources). 2006. Act 250 Statute: Title 10: Conservation and Development Chapter 151: State Land Use and Development Plans [online]. Available: <http://www.nrb.state.vt.us/lup/statute.htm> [accessed Sept. 27, 2006].
- VTPSB (Vermont Public Service Board). 2003. Title 30: Public Service. 30 V.S.A. § 202. Electrical Energy Planning [online]. Available: <http://www.leg.state.vt.us/statutes/fullsection.cfm?Title=30&Chapter=005&Section=00202> [accessed Sept. 29, 2006].
- VTPSB (Vermont Public Service Board). 2006. Citizens' Guide to the Vermont Public Service Board's Section 248 Process. Vermont Public Service Board, Montpelier, VT [online]. Available: [http://www.state.vt.us/psb/document/Citizens\\_Guide\\_to\\_248.pdf](http://www.state.vt.us/psb/document/Citizens_Guide_to_248.pdf) [accessed Sept. 11, 2006].
- Waits, L.P. 2004. Using noninvasive genetic sampling to detect and estimate abundance of rare wildlife species. Pp. 211-228, in *Sampling Rare or Elusive Species: Concepts, Designs, and Techniques for Estimating Population Parameters* (M.L. Thompson, ed.). Island Press, Washington, D.C.
- Waits, L.P., and P.L. Leberg. 2000. Biases associated with population estimation using molecular tagging. *Animal Conservation*, 3: 191-200.
- Walsh, A.L., and S. Harris. 1996. Foraging habitat preferences of vespertilionid bats in Britain. *J. Appl. Ecol.* 33(3):508-518.
- Walter, W.D., D.M. Leslie, Jr., and J.A. Jenks. 2004. Response of Rocky Mountain Elk (*Cervus elaphus*) to Wind-Power Development in Southwestern Oklahoma. Presentation at the 11th Annual Meeting of the Wildlife Society, 19 September 2004, Calgary, Alberta, Canada.
- WBCSD and WRI (World Business Council for Sustainable Development and World Resources Institute). 2005. The Green House Gas Protocol for Project Accounting, World Business Council for Sustainable Development, Geneva, Switzerland and World Resources Institute, Washington, DC [online]. Available: [http://pdf.wri.org/ghg\\_project\\_accounting.pdf](http://pdf.wri.org/ghg_project_accounting.pdf) [accessed Sept. 21, 2006].
- Weakland, C.A., and P.B. Wood. 2005. Cerulean warbler (*Dendroica cerulea*) microhabitat and landscape-level habitat characteristics in southern West Virginia. *Auk* 122(2):497–508.
- Weathers, K.C., M.L. Cadenasso, and S.T.A. Pickett. 2001. Forest edges as nutrient and pollutant concentrators: Potential synergisms between fragmentation, forest canopies and the atmosphere. *Conserv. Biol.* 15(6):1506-1514.
- Webster, M.S., P.P. Marra, S.M. Haig, S. Bensch, and R.T. Holmes. 2002. Links between worlds: Unraveling migratory connectivity. *Trends Ecol. Evol.* 17(2):76-83.
- Wenny, D.G., R.L. Clawson, J. Faaborg, and S.L. Sheriff. 1993. Population density, habitat selection and minimum area requirements of three forest-interior warblers in central Missouri. *Condor* 95(4):968-979.
- WEST (Western EcoSystems Technology). 2006. Diablo Winds wildlife monitoring progress report: March 2005-February 2006. Technical Report Submitted to Alameda County and FPL Energy.
- West, E.W., and U. Swain. 1999. Surface activity and structure of a hydrothermally-heated maternity colony of the little brown bat, *Myotis lucifugus*, in Alaska. *Can. Field Nat.* 113(3):425-429.
- Westbrook, J.K., and W.W. Wolf. 1998. Migratory flights of bollworms, *Helicoverpa zea* (Boddie), indicated by Doppler weather radar. Pp. 354-355 in *Preprints-Weather Data Requirements for Integrated Pest Management: 23rd Conference on Agricultural and Forest Meteorology, 2nd Urban Environment Symposium, and 13th Conference on Biometeorology and Aerobiology, November 2-6, 1998, Albuquerque, NM.* Boston: American Meteorological Society.

- Wethington, T.A., D.M. Leslie, Jr., M.S. Gregory, and M.K. Wethington. 1996. Prehibernation habitat use and foraging activity by endangered Ozark big-eared bats (*Plecotus townsendii ingens*). *Am. Midl. Nat.* 135(2):218-230.
- Whitaker, J.O., Jr. 1998. Life history and roost switching in six summer colonies of eastern pipistrelles in buildings. *J. Mammal.* 79(2):651-659.
- Whitaker, J.O., Jr, V. Brack, and J.B. Cope. 2002. Are bats in Indiana declining? *P. Indiana Acad. Sci.* 1:95-106.
- White, J.G. 2002. Oregon's Siting Process for Large Wind Energy Facilities. Presentation at the Windpower 2002 Conference, June 2-5, 2002, Oregon, OR [online]. Available: <http://www.oregon.gov/ENERGY/SITING/docs/WindSite.PDF> [accessed Sept. 14, 2006].
- WIDNR (Wisconsin Department of Natural Resources). 2004. Considering Natural Resource Issue in Windfarm Siting in Wisconsin: A Guidance. Wisconsin Department of Natural Resources. July 2004 [online]. Available: <http://www.dnr.state.wi.us/org/es/science/energy/wind/guidelines.pdf> [accessed Sept. 13, 2006].
- Wilkinson, G.S., and T.H. Fleming. 1996. Migration and evolution of lesser-long-nosed bats *Leptonycteris curasoae*, inferred from mitochondrial DNA. *Molecular Ecology*, 5: 329-339.
- Wilkinson, G.S., and J.M. South. 2002. Life history, ecology and longevity of bats. *Aging Cell* 1:124-131.
- Williams, T.C., J.M. Williams, J.M. Teal, and J.W. Kanwisher. 1972. Tracking radar studies of bird migration. Pp. 115-128 in *Animal Orientation and Navigation*, S.R. Galler, K. Schmidt-Koenig, G.J. Jacobs, and R.E. Belleville, eds. NASA SP-262. Washington, DC: National Aeronautics and Space Administration.
- Williams, T.C., L.C. Ireland, and J.M. Williams. 1973. High altitude flights of the free-tailed bat, *Tadarida brasiliensis*, observed with radar. *J. Mammal.* 54(4):807-821.
- Williams, T.C., J.M. Williams, L.C. Ireland, and J.M. Teal. 1977. Autumnal bird migration over the western North Atlantic Ocean. *Am. Birds* 31:251-267.
- Williams, T.C., J.M. Williams, P.G. Williams, and P. Stokstad. 2001. Bird migration through a mountain pass studied with high resolution radar, ceilometers, and census. *The Auk* 118(2):389-403.
- Winhold, L., A. Kurta, and R. Foster. 2005. Are red bats (*Lasiurus borealis*) declining in southern Michigan? *Bat Research News* 46(4):229.
- Winkelman, J.E. 1985. Impact of medium-sized wind turbines on birds: A survey on flight behavior, victims, and disturbance. *Neth. J. Agr. Sci.* 33:75-78.
- Winkelman, J.E. 1989. Birds at a Wind Park Near Urk: Bird Collision Victims and Disturbance of Wintering Ducks, Geese and Swans [in Dutch]. RIN-Rapport 89/15. Arnhem: Rijksinstituut voor Natuurbeheer.
- Winkelman, J.E. 1990. Disturbance of Birds by the Experimental Wind Park Near Oosterbierum (Fr.) During Building and Partly Operative Situations [1984-1989] [in Dutch]. RIN-Rapport 90/9. Arnhem: Rijksinstituut voor Natuurbeheer.
- Winkelman, J.E. 1992a. The Impact of the SEP Wind Park Near Oosterbierum (Fr.), the Netherlands, on Birds, Vol. 4: Disturbance [in Dutch]. RIN-report 92/5. Arnhem: DLO-Instituut voor Bos-en Natuuronderzoek.
- Winkelman, J.E. 1992b. The Impact of the SEP Wind Park near Oosterbierum (Fr.), the Netherlands, on Birds, Vol. 2: Nocturnal Collision Risks [in Dutch]. RIN-report 92/3. Arnhem: DLO-Instituut voor Bos-en Natuuronderzoek.
- Winkelman, J.E. 1992c. The Impact of the SEP Wind Park near Oosterbierum (Fr.), the Netherlands, on Birds, Vol. 1: Collision Victims [in Dutch]. RIN-report 92/2. Arnhem: DLO-Instituut voor Bos-en Natuuronderzoek.
- Winkelman, J.E. 1995. Bird/wind turbine investigations in Europe. Pp. 43-47 in *Proceedings of the National Avian-Wind Power Planning Meeting*, 20-21 July 1994, Denver, CO. Prepared by LGL Ltd., Environmental Research Associates, King City, Ontario. February 24, 1995.
- Wirsing, A.J., T.D. Steury, and D.L. Murray. 2002. A demographic analysis of a southern snowshoe hare population in a fragmented habitat: evaluating the refugium model. *Can. J. Zool.* 80(1):169-177.
- Wolsink, M. 1990. The siting problem: Wind power as a social dilemma. Pp. 725-729 in *European Community Wind Energy Conference: Proceedings of an International Conference*, 10-14 September 1990, Madrid, Spain, W. Palz, ed. Bedford, England: H.S. Stephens.
- Wood, P.B., J.P. Duguay, and J.V. Nichols. 2005. Cerulean warbler use of regenerated clearcuts and two-age harvests. *Wildlife Society Bulletin.* 33:851-858.
- Wood, P.B., S.B. Bosworth, and R. Dettmers. 2006. Cerulean warbler abundance and occurrence relative to large-scale edge and habitat characteristics. *Condor* 108(1):154-165.
- WVDNR (West Virginia Department of Natural Resources). 2003. Rare and Threatened and Endangered Species. West Virginia Department of Natural Resources [online]. Available: <http://www.wvdnr.gov/wildlife/endangered.shtm> [accessed Sept. 21, 2006].

- WVPSC (West Virginia Public Service Commission). 2005. Rules Governing Siting Certificates for Exempt Wholesale Generators. 150CSR30 [online]. Available: [http://www.wvmcre.org/links/150-03-psc\\_siting\\_regs.pdf](http://www.wvmcre.org/links/150-03-psc_siting_regs.pdf) [accessed Sept. 14, 2006].
- WVPSC (West Virginia Public Service Commission). 2006a. Commission Final Order Hearing Cancel for 8/9/2006: Case 05-1740-E-CS, July 24, 2006 [online]. Available: <http://www.psc.state.wv.us/webdocket/default.htm> [accessed Oct. 11, 2006].
- WVPSC (West Virginia Public Service Commission). 2006b. Vision Statement of the Public Service Commission [online]. Available: <http://www.psc.state.wv.us/missionstatement.htm> [accessed Sept. 29, 2006].
- WWEA (World Wind Energy Association). 2006. Worldwide Wind Energy Boom in 2005 [online]. Available: [http://www.wwindea.org/home/index.php?option=com\\_content&task=view&id=13&Itemid=40](http://www.wwindea.org/home/index.php?option=com_content&task=view&id=13&Itemid=40) [accessed Sept. 27, 2006].
- Wyman, R.L. 1998. Experimental assessment of salamanders as predators of detrital food webs: Effects on invertebrates, decomposition and the carbon cycle. *Biodivers. Conserv.* 7(5):641-650.
- Young, D.P. Jr., and W. Erickson. 2006. Wildlife issue solutions: What have marine radar surveys taught us about avian risk assessment? Paper presented to Wildlife Workgroup Research Meeting VI, National Wind Coordinating Collaborative, November 14-16, 2006, San Antonio, TX. ([http://www.nationalwind.org/events/wildlife/2006-3/presentations/birds/young-marine\\_radar.pdf](http://www.nationalwind.org/events/wildlife/2006-3/presentations/birds/young-marine_radar.pdf)).
- Young, D.P., Jr., G.D. Johnson, W.P. Erickson, M.D. Strickland, R.E. Good, and P. Becker. 2001. Avian and Bat Mortality Associated with the Initial Phase of the Foote Creek Rim Windpower Project, Carbon County, Wyoming: November 1998-October 31, 2000. Prepared for SeaWest Windpower, Inc., San Diego, CA, and Bureau of Land Management, Rawlins District Office, Rawlins, WY, by Western EcoSystems Technology, Inc., Cheyenne, WY. 32pp.
- Young, D.P., Jr., W.P. Erickson, J.D. Jeffrey, K.J. Bay, R.E. Good, and B.G. Lack. 2003a. Avian and Sensitive Species Baseline Study Plan and Final Report TPC Combine Hills Turbine Ranch, Umatilla County, Oregon. Prepared for Eurus Energy America Corporation, San Diego, CA and Aeropower Services, Inc., Portland, OR, by Western EcoSystems Technology, Inc., Cheyenne, WY. March 2003.
- Young, D.P. Jr., W.P. Erickson, M.D. Strickland, R.E. Good, and K.J. Sernka. 2003b. Comparison of Avian Responses to UV-Light-Reflective Paint on Wind Turbines: July 1999-December 2000. NREL/SR-500-32840. Prepared for National Renewable Energy Laboratory, Golden, CO, by Western EcoSystems Technology, Inc., Cheyenne, WY. January 2003 [online]. Available: [http://www.west-inc.com/reports/fer\\_nrel.pdf](http://www.west-inc.com/reports/fer_nrel.pdf) [accessed June 22, 2006].
- Young, D.P. Jr., W.P. Erickson, R.E. Good, M.D. Strickland, and G.D. Johnson. 2003c. Avian and Bat Mortality Associated with the Initial Phase of the Foote Creek Rim Windpower Project, Carbon County, Wyoming: November 1998-June 2002. Prepared for Pacific Corp, Inc., Portland, OR, SeaWest Windpower, Inc., San Diego, CA, and Bureau of Land Management, Rawlins District Office, Rawlins, WY, by Western EcoSystems Technology, Inc., Cheyenne, WY. January 10, 2003 [online]. Available: [http://www.west-inc.com/reports/fer\\_final\\_mortality.pdf](http://www.west-inc.com/reports/fer_final_mortality.pdf) [accessed May 25, 2006].
- Young, D.P. Jr., M.D. Strickland, W.P. Erickson, K. Bay, R. Canterbury, T. Mabee, B. Cooper, and J. Plissner. 2004. Baseline Avian Studies Mount Storm Wind Power Project, Grant County, West Virginia: May 2003- March 2004. Prepared for NedPower Mount Storm, LLC, Chantilly, VA, by Western EcoSystems Technology, Inc., Cheyenne, WY. April 23, 2004 [online]. Available: [http://www.west-inc.com/reports/mount\\_storm\\_final.pdf](http://www.west-inc.com/reports/mount_storm_final.pdf) [accessed June 2, 2006].
- Young, D.P. Jr., J.D. Jeffrey, W.P. Erickson, K. Bay, K. Kronner, B. Gritski, and J. Baker. 2005. Combine Hills Turbine Ranch Wildlife Monitoring First Annual Report: March 2004-March 2005. Prepared for Eurus Energy America Corporation, Umatilla County, and the Combine Hills Technical Advisory Committee.
- Zehnder, S. and L. Karlsson. 2001. Do ringing numbers reflect true migratory activity of nocturnal migrants? *J. Ornithol.* 142(2):173-183.
- Zehnder, S., Åkesson, F. Liechti, and B. Bruderer. 2001. Nocturnal autumn bird migration at Falsterbo, South Sweden. *J. Avian Biol.* 32(3):239-248.
- Zeiss, C., and J. Atwater. 1989. Property value guarantees for waste facilities. *J. Urban Plann. Dev.* 115(3):123-134.
- Zimmerman, G.S., and W.E. Glanz. 2000. Habitat use by bats in eastern Maine. *J. Wildl. Manage.* 64(4):1032-1040.
- Zube, I., and L. Mills, Jr. 1976. Cross cultural explorations in landscape perception. Pp. 162-169 in *Studies in Landscape Perception*, E.H. Zube, ed. Publication No. R-76-1. Amherst: Institute for Man and Environment, University of Massachusetts.